



Monthly Performance Report

July 2023



ESSP-DRD-33544

Iss. 01-00

Date: 07.08.2023

If printed, make sure it is the applicable version



TABLE OF CONTENT

EXECUTIVE SUMMARY.....	4
1 EGNOS SIS AVAILABILITY	6
2 OPEN SERVICE (OS).....	6
2.1 OPEN SERVICE HORIZONTAL AND VERTICAL ACCURACY.....	8
2.2 EGNOS OPEN SERVICE AVAILABILITY.....	10
3 SAFETY-OF-LIFE SERVICE (SOL).....	11
3.1 EGNOS NON-PRECISION APPROACH (NPA).....	11
3.1.1 <i>EGNOS NPA Availability</i>	11
3.1.2 <i>EGNOS NPA Continuity</i>	12
3.1.3 <i>EGNOS NPA Integrity Events</i>	13
3.1.4 <i>EGNOS NPA Accuracy</i>	14
3.2 EGNOS APPROACH WITH VERTICAL GUIDANCE (APV-I).....	16
3.2.1 <i>EGNOS APV-I Availability</i>	16
3.2.2 <i>EGNOS APV-I Continuity Risk</i>	17
3.2.3 <i>EGNOS APV-I Integrity</i>	18
3.2.4 <i>EGNOS APV-I Accuracy</i>	20
3.2.5 <i>EGNOS APV-I Performance at airports</i>	22
3.3 EGNOS LOCALIZER PERFORMANCE WITH VERTICAL GUIDANCE TO A DECISION ALTITUDE OF 200FT (LPV-200)	23
3.3.1 <i>EGNOS LPV-200 Availability</i>	23
3.3.2 <i>EGNOS LPV-200 Continuity Risk</i>	24
3.3.3 <i>EGNOS LPV-200 Integrity</i>	25
3.3.4 <i>EGNOS LPV-200 Accuracy</i>	27
3.3.5 <i>EGNOS LPV-200 Performance at airports</i>	29
4 EGNOS DATA ACCESS SERVICE (EDAS)	30
5 EGNOS TIME SERVICE	31
APPENDIX A RECEIVER MONITORING NETWORK.....	34
APPENDIX B EGNOS APV-I PERFORMANCE AT AIRPORTS	36
APPENDIX C EGNOS LPV-200 PERFORMANCE AT AIRPORTS	47
APPENDIX D REFERENCE DOCUMENTS	55
APPENDIX E LIST OF ACRONYMS.....	56
APPENDIX F VNSE HISTOGRAM DATA EXTRAPOLATED AT 10-7/150S FOR EACH RIMS LOCATION	58

TABLE OF FIGURES

FIGURE 1 – EGNOS SIS & PRN AVAILABILITY FOR JULY 2023	6
FIGURE 2 – TREND OF EGNOS SIS AVAILABILITY PER GEO	6
FIGURE 3 – EGNOS OPEN SERVICE HNSE HISTOGRAM AND CUMULATIVE PROBABILITY.....	9
FIGURE 4 – EGNOS OPEN SERVICE VNSE HISTOGRAM AND CUMULATIVE PROBABILITY.....	9
FIGURE 5 – EGNOS OPEN SERVICE AVAILABILITY AT REFERENCE STATIONS	10
FIGURE 6 – EGNOS NPA AVAILABILITY	11
FIGURE 7 – EGNOS NPA CONTINUITY OVER THE LAST 6 MONTHS	12
FIGURE 8 – EGNOS NPA HORIZONTAL SAFETY INDEX OF THE MONTH	13
FIGURE 9 – EGNOS NPA HNSE HISTOGRAM AND CUMULATIVE PROBABILITY	15
FIGURE 10 – EGNOS APV-I AVAILABILITY.....	16



FIGURE 11 – EGNOS APV-I AVAILABILITY COMPLIANCE TREND	16
FIGURE 12 – EGNOS APV-I CONTINUITY	17
FIGURE 13 – EGNOS APV-I HORIZONTAL SAFETY INDEX OF THE MONTH.....	18
FIGURE 14 – EGNOS APV-I VERTICAL SAFETY INDEX OF THE MONTH	19
FIGURE 15 – EGNOS APV-I HNSE HISTOGRAM AND CUMULATIVE PROBABILITY.....	21
FIGURE 16 – EGNOS APV-I VNSE HISTOGRAM AND CUMULATIVE PROBABILITY.....	21
FIGURE 17 – EGNOS APV-I AVAILABILITY AT AIRPORTS	22
FIGURE 18 – EGNOS APV-I OUTAGES	22
FIGURE 19 – EGNOS LPV-200 AVAILABILITY.....	23
FIGURE 20 – EGNOS LPV-200 AVAILABILITY COMPLIANCE TREND	23
FIGURE 21 – EGNOS LPV-200 CONTINUITY	24
FIGURE 22 – EGNOS LPV-200 HORIZONTAL SAFETY INDEX OF THE MONTH.....	25
FIGURE 23 – EGNOS LPV-200 VERTICAL SAFETY INDEX OF THE MONTH	26
FIGURE 24 – EGNOS LPV-200 HNSE HISTOGRAM AND CUMULATIVE PROBABILITY.....	28
FIGURE 25 – EGNOS LPV-200 VNSE HISTOGRAM AND CUMULATIVE PROBABILITY.....	28
FIGURE 26 – EGNOS LPV-200 AVAILABILITY AT AIRPORTS	29
FIGURE 27 – EGNOS LPV-200 OUTAGES	29
FIGURE 28 – EGNOS TIME SERVICE AVAILABILITY	31
FIGURE 29 – ENT-GPS OFFSET EVOLUTION.....	32
FIGURE 30 – EGNOS RIMS SITES USED IN THIS REPORT.....	34
FIGURE 31: EXTRAPOLATED LPV200 VNSE AT 10-7/150S IN AGA (LEFT) & ALB (RIGHT).....	58
FIGURE 32: EXTRAPOLATED LPV200 VNSE AT 10-7/150S IN ATH (LEFT) & BRN (RIGHT)	58
FIGURE 33: EXTRAPOLATED LPV200 VNSE AT 10-7/150S IN CNR (LEFT) & CRK (RIGHT)	59
FIGURE 34: EXTRAPOLATED LPV200 VNSE AT 10-7/150S IN CTN (LEFT) & DJA (RIGHT)	59
FIGURE 35: EXTRAPOLATED LPV200 VNSE AT 10-7/150S IN EGI (LEFT) & GLG (RIGHT)	59
FIGURE 36: EXTRAPOLATED LPV200 VNSE AT 10-7/150S IN GOL (LEFT) & GVL (RIGHT)	60
FIGURE 37: EXTRAPOLATED LPV200 VNSE AT 10-7/150S IN JME (LEFT) & LAP (RIGHT)	60
FIGURE 38: EXTRAPOLATED LPV200 VNSE AT 10-7/150S IN LPI (LEFT) & LSB (RIGHT)	60
FIGURE 39: EXTRAPOLATED LPV200 VNSE AT 10-7/150S IN MAD (LEFT) & MLG (RIGHT)	61
FIGURE 40: EXTRAPOLATED LPV200 VNSE AT 10-7/150S IN PDM (LEFT) & RKK (RIGHT)	61
FIGURE 41: EXTRAPOLATED LPV200 VNSE AT 10-7/150S IN ROM (LEFT) & SDC (RIGHT)	61
FIGURE 42: EXTRAPOLATED LPV200 VNSE AT 10-7/150S IN SOF (LEFT) & SWA (RIGHT).....	62
FIGURE 43: EXTRAPOLATED LPV200 VNSE AT 10-7/150S IN TLS (LEFT) & TRD (RIGHT)	62
FIGURE 44: EXTRAPOLATED LPV200 VNSE AT 10-7/150S IN TRO (LEFT) & WRS (RIGHT)	62
FIGURE 45 - EXTRAPOLATED LPV200 VNSE AT 10-7/150S IN ZUR	63
FIGURE 46: EXTRAPOLATED LPV200 VNSE AT 10-7/150S - ALL RIMS - PRN123 (LEFT) & PRN136 (RIGHT)	63

TABLE OF TABLES

TABLE 1 – EGNOS SIS AVAILABILITY (%) ON EGNOS GEO SATELLITES.....	7
TABLE 2 – EGNOS OPEN SERVICE ACCURACY (95%)	8
TABLE 3 – EGNOS NPA HORIZONTAL ACCURACY (95%) AND PERCENTAGE OF TIME IN NPA MODE	14
TABLE 4 – EGNOS APV-I ACCURACY (95%) AND PERCENTAGE OF TIME IN APV-I MODE AT REFERENCE STATIONS	20
TABLE 5 – EGNOS LPV-200 ACCURACY (95%) AND PERCENTAGE OF TIME IN LPV-200 MODE AT REFERENCE STATIONS	27
TABLE 6 – PERFORMANCE OF EDAS SERVICES.....	30
TABLE 7 – LIST OF SITES WHERE PERFORMANCES ARE REPORTED.....	35
TABLE 8 – MONTHLY APV-I AVAILABILITY AT AIRPORTS WITH PUBLISHED PROCEDURES USING EGNOS.	46
TABLE 9 – MONTHLY LPV-200 AVAILABILITY AT AIRPORTS WITH PUBLISHED PROCEDURES USING EGNOS.	54



EXECUTIVE SUMMARY

This report presents the EGNOS services performance during July 2023. The report contains global results for the reported period, including maps and tables with the performance observed at different locations in Europe using GEO-combined values for EGNOS operational GEOs. A list of the stations analysed in this report, including their location, can be found in Appendix A. Additional and more detailed information about EGNOS performance can be found at the EGNOS User Support website (<https://egnos-user-support.essp-sas.eu>).

Safety of Life Service (SoL)

The percentage¹ of ECAC landmasses within the SDD commitment covered by APV-I and LPV200 Availability (99%) performance was 92.99% for APV-I (section 3.2.1) and 89.95% for LPV200 (section 3.3.1). The achieved coverage for Continuity ($5 \times 10^{-4}/15s$) against the SDD commitment was 94.57% for APV-I (section 3.2.2) and 85.97% for LPV200 (section 3.3.2).

The performance at all airports with approach operations based on the APV-I or LPV200 service levels (Appendix B and Appendix C) presented Availability and Continuity values in line with their respective commitments as defined in the SoL SDD [RD-2] except for:

- APV-I Availability at:
 - 7 airports in Norway
 - 2 airports in Spain
- APV-I Continuity at:
 - 11 airports in Finland
 - 6 airports in Sweden
 - 1 airport in Spain
 - 1 airport in Malta
 - 1 airport in Portugal
 - 2 airports in Greece
 - 27 airports in Norway
- LPV200 Availability at:
 - 1 airport in Norway
- LPV200 Continuity at:
 - 9 airports in Norway
 - 1 airport in Estonia
 - 1 airport in Finland
 - 1 airport in Italy
 - 1 airport in Malta
 - 3 airports in Slovak Republic

The Horizontal and Vertical Safety Indexes remained below 0.40 for both APV-I (section 3.2.3) and LPV200 (section 3.3.3) service levels at all the analysed sites, which represents a good integrity margin.

NPA Availability above 99% (section 3.1.1) was delivered in the 99.73% of the NPA service area (limited by the boundaries defined by MT27).

Open Service

The monitored stations presented an Open Service Availability higher than 99% for this month (section 2.2) except RIMS JME (98.87%), AGA (97.95%), LPI (97.88%), CNR (97.57%) and HFA (98.03%).

The horizontal and vertical accuracy results for all the sites remained below 2.2 meters (95%) and 2.9 meters (95%) respectively, which represents a very good level of accuracy.

¹ The coverage percentages presented represent the ratio of area after applying the mapping projection, there may be a difference compared to the actual geographical area.



EDAS Service

In terms of availability and latency, the observed performance for all the EDAS services fulfilled the targets (section 4 [RD-3].

EGNOS Time Service

The EGNOS Time Service availability presented for the combination of both operational GEOs was almost 100% during all month, except for the day 5 July.

The offset between the EGNOS Network Time and GPS time remained below 17 nanoseconds over the three previous months: April to June 2023.



1 EGNOS SIS AVAILABILITY

In this document, **EGNOS SIS Availability** is defined as the percentage of time in the month during which at least one geostationary satellite broadcasts EGNOS messages.

In addition to the individual SIS Availability, the following values are also reported:

- percentage of time in the month during which at least one geostationary satellite broadcasts EGNOS messages (PRN126 or PRN136);
- percentage of time in the month during which both operational geostationary satellites broadcast EGNOS messages.

EGNOS SIS monitoring for July 2023, reports the following reception percentage of an SBAS message:

- SIS –PRN126 or PRN136: **100%**
- SIS – PRN126 and PRN136: **99.99%**
- PRN126 Availability: **99.99%**
- PRN136 Availability: **99.99%**

The following figure presents the Availability of the signal in both EGNOS GEO satellites (PRN126 and PRN136). Red lines correspond to unavailability periods:




Figure 1 – EGNOS SIS & PRN Availability for July 2023




Figure 2 – Trend of EGNOS SIS Availability per GEO



Availability (%)	2023-05	2023-06	2023-07	2023-05	2023-06	2023-07
PRN126	99.93	100	99.99	99.99	99.99	99.99
PRN136	99.95	99.99	99.99	99.99	99.96	99.99
At least one EGNOS GEO satellite	100	100	100	100	100	100

Table 1 – EGNOS SIS Availability (%) on EGNOS GEO satellites

If printed, make sure it is the applicable version.



2 OPEN SERVICE (OS)

2.1 Open Service Horizontal and Vertical Accuracy

Accuracy is a measure of the position error, which is the difference between the estimated navigation position and the actual position.

EGNOS OS Horizontal (resp. Vertical) Accuracy is reported as the 95th percentile of the Horizontal (resp. Vertical) Navigation System Error – HNSE (resp. VNSE) over the month, at the monitored sites when applying EGNOS messages.

The next table provides the values of accuracy (95%) in meters measured for this month. See Appendix A for further details of the stations where OS Accuracy is reported.

Station	HNSE 95% (m)	VNSE 95% (m)
Agadir	2.1	2.4
Aalborg	0.8	1.4
Athens	1.0	1.6
Berlin	0.9	1.4
Canary Islands	2.2	2.4
Cork	0.9	1.3
Catania	1.0	1.5
Djerba	1.4	2.0
Egilsstadir	0.8	1.8
Glasgow	0.9	1.3
Golbasi	1.1	1.8
Gavle	0.9	1.7
Haifa	1.8	2.8
Jan Mayen	1.1	2.9
Kirkenes	0.8	2.0
Lappeenranta	0.9	1.6
La Palma	2.2	2.4
Lisbon	1.3	1.6
Madeira	1.4	1.9
Malaga	1.2	1.6
Palma de Mallorca	1.0	1.2
Reykjavik	1.2	2.3
Rome	0.9	1.3
S. de Compostela	1.2	1.3
Sofia	1.3	1.8
Swanwick	1.1	1.5
Toulouse	1.0	1.3
Trondheim	0.8	1.6
Tromsoe	1.0	2.4
Warsaw	0.9	1.4
Zurich	0.9	1.4

Table 2 – EGNOS Open Service accuracy (95%)

The next figures show the histogram and cumulative distribution function of HNSE (Horizontal Navigation System Error) and VNSE (Vertical Navigation System Error), which are computed at the previous stations for each second over the current month.




Figure 3 – EGNOS Open Service HNSE Histogram and Cumulative Probability




Figure 4 – EGNOS Open Service VNSE Histogram and Cumulative Probability



2.2 EGNOS Open Service Availability

EGNOS OS Availability performance is defined in the present document as the percentage of time when the instantaneous HNSE is lower than 3 meters and the instantaneous VNSE is lower than 4 meters over the total number of samples with valid PA navigation solution.

The following figures present the Open Service Availability measured in the monitoring stations for the reported month (RIMS sites with OS Availability lower than 99%, if any, are shown in red). See Appendix A for further details of the stations where OS Accuracy is reported.




Figure 5 – EGNOS Open Service Availability at reference stations



3 SAFETY-OF-LIFE SERVICE (SOL)

3.1 EGNOS Non-Precision Approach (NPA)

3.1.1 EGNOS NPA Availability

EGNOS NPA Availability is defined as the percentage of samples in which the Horizontal Protection Level is below Alert Limit for NPA (HPL below 556m) over the total period. This value corresponds to the performance obtained under fault-free conditions using all satellites in view.

The following figure presents EGNOS NPA Availability over the current month. It must be noted that NPA Availability considering RAIM is not taken into account in this report.




Figure 6 – EGNOS NPA Availability



3.1.2 EGNOS NPA Continuity

EGNOS NPA Continuity is reported as the result of dividing the total number of single continuity events using a time-sliding window of 1 hour by the number samples with valid and available NPA navigation solution. A single continuity event occurs if the system is available at the start of the operation and in at least one second inside the following time-sliding window of 1 hour the system becomes not available. This value corresponds to the performance obtained under fault-free conditions using all satellites in view.

The following picture presents the EGNOS NPA Continuity Risk measured for the last 6 months (in order to observe the minimum NPA Continuity performance committed in the SoL SDD -1×10^{-3} /hour-, at least 6 months of data need to be evaluated due to the discrete nature of discontinuity events). It must be noted that NPA Continuity is computed in this report using only the EGNOS NPA solution and not considering the GPS RAIM solution when the EGNOS one is not available.




Figure 7 – EGNOS NPA Continuity over the last 6 months



3.1.3 EGNOS NPA Integrity Events

EGNOS NPA Integrity Event is defined as an event when the Navigation System Error is greater or equal to the corresponding Protection Level for NPA.

No integrity event was detected.

Safety Index is defined as the relation between Navigation System Error and Protection Level (assuming NPA algorithms to compute xNSE and xPL) for each second. Case of ratio xNSE/xPL is over 1, it indicates that a Misleading Information situation has occurred.

The next histogram shows the distribution of HSI (Horizontal Safety Index), which is computed at the different EGNOS stations for each second over the current month. This histogram takes into account the epochs in which the NPA service was available (Protection Level < NPA Alarm Limit).




Figure 8 – EGNOS NPA Horizontal Safety Index of the month



3.1.4 EGNOS NPA Accuracy

EGNOS NPA Accuracy is reported as the 95th percentile of the Horizontal Navigation System Error (HNSE) over the month, at the monitored sites when the NPA service is available (HPL below 556 m).

This table shows the NPA Accuracy values in meters. See Appendix A for further details of the stations where NPA Accuracy is reported.

Station	HNSE 95% (meters)	% of samples in NPA mode
Azores	1.9	100.00%
Agadir	0.8	100.00%
Aalborg	1.0	100.00%
Athens	0.9	100.00%
Berlin	2.0	100.00%
Canary Islands	0.9	100.00%
Cork	1.0	100.00%
Catania	1.3	100.00%
Djerba	0.8	100.00%
Egilsstadir	0.9	100.00%
Glasgow	1.1	100.00%
Golbasi	0.9	100.00%
Gavle	1.1	100.00%
Haifa	0.9	100.00%
Jan Mayen	1.9	100.00%
Kirkenes	1.3	100.00%
Lappeenranta	1.3	100.00%
La Palma	1.2	100.00%
Lisbon	1.0	100.00%
Madeira	0.9	100.00%
Malaga	0.9	100.00%
Palma de Mallorca	1.2	100.00%
Reykjavik	1.3	100.00%
Rome	1.1	100.00%
S. de Compostela	1.0	100.00%
Sofia	0.8	100.00%
Swanwick	0.9	100.00%
Toulouse	0.9	100.00%
Trondheim	0.9	100.00%
Tromsoe	1.9	100.00%
Warsaw	0.8	100.00%
Zurich	1.0	100.00%

Table 3 – EGNOS NPA Horizontal Accuracy (95%) and percentage of time in NPA mode

The following figure shows the histogram and cumulative probability function of HNSE (Horizontal Navigation System Error), which are computed at RIMS sites for each second over the current month.




Figure 9 – EGNOS NPA HNSE Histogram and Cumulative Probability

If printed, make sure it is the applicable version.



3.2 EGNOS Approach with Vertical guidance (APV-I)

3.2.1 EGNOS APV-I Availability

EGNOS APV-I Availability is defined as the percentage of epochs in a month in which the Protection Level are below Alert Limits for this APV-I service ($HPL < 40m$ and $VPL < 50m$) over the total period. This value corresponds to the performance obtained under fault-free conditions using all satellites in view.

The following picture presents the EGNOS APV-I Availability over the current month using GEO-combined maps for the operational EGNOS GEOs.




Figure 10 – EGNOS APV-I Availability

Below, the evolution of the daily APV-I Availability (99%) compliance area is presented. The percentage is computed with respect to ECAC Landmasses within the SDD commitment. The information is presented for the last 3 months.




Figure 11 – EGNOS APV-I Availability compliance trend



3.2.2 EGNOS APV-I Continuity Risk

EGNOS APV-I Continuity Risk is defined as the result of dividing the total number of single continuity events using a time-sliding window of 15 seconds by the number of samples with valid and available APV-I navigation solution. A single continuity event occurs if the system is available at the start of the operation and in at least one of the following 15 seconds the system becomes not available. This value corresponds to the performance obtained under fault-free conditions using all satellites in view.

The following picture presents the EGNOS APV-I Continuity over the current month using GEO-combined maps for the operational EGNOS GEOs.





Figure 12 – EGNOS APV-I Continuity



3.2.3 EGNOS APV-I Integrity

EGNOS APV-I Integrity Event is defined as an event when the Navigation System Error is greater or equal to the corresponding Protection Level for APV-I.

No integrity event was detected.

Safety Index is defined as the relation between Navigation System Error versus Protection Level (assuming PA algorithms to compute xNSE and xPL) for each second. In case of ratio xPE/xPL is over 1; it indicates that a Misleading Information situation has occurred.

The next figures provide the histogram for HSI (Horizontal Safety Index) and VSI (Vertical Safety Index) for each second when accumulating measurements from the different EGNOS stations over the current month. These histograms have considered that Protection Level is below APV-I Alarm Limit.




Figure 13 – EGNOS APV-I Horizontal Safety Index of the month




Figure 14 – EGNOS APV-I Vertical Safety Index of the month

If printed, make sure it is the applicable version.



3.2.4 EGNOS APV-I Accuracy

EGNOS APV-I Accuracy is reported as the 95th percentile of the Horizontal and Vertical Navigation System Error over the month, at the monitored sites when the APV-I service is available (HPL<40m and VPL<50m).

The following table shows the monthly APV-I Accuracy values in meters for the combined GEO satellite signal. See Appendix A for further details of the stations where APV-I Accuracy is reported.

Station	HNSE 95%	VNSE 95%	% of samples with APV-I service available
Agadir	2.0	2.3	98.08%
Aalborg	0.8	1.4	100.00%
Athens	1.0	1.6	99.96%
Berlin	0.9	1.4	100.00%
Canary Islands	2.1	2.2	97.34%
Cork	0.9	1.3	100.00%
Catania	1.0	1.5	99.96%
Djerba	1.3	2.0	98.29%
Egilsstadir	0.8	1.7	99.67%
Glasgow	0.9	1.3	100.00%
Golbasi	1.1	1.7	97.62%
Gavle	0.9	1.6	99.88%
Haifa	1.6	2.5	68.39%
Jan Mayen	1.1	2.9	99.69%
Kirkenes	0.8	1.9	98.53%
Lappeenranta	0.9	1.6	99.56%
La Palma	2.1	2.2	97.74%
Lisbon	1.3	1.6	100.00%
Madeira	1.4	1.9	99.63%
Malaga	1.2	1.6	99.97%
Palma de Mallorca	1.0	1.2	100.00%
Reykjavik	1.0	2.0	97.36%
Roma	0.9	1.3	100.00%
S. de Compostela	1.2	1.3	100.00%
Sofia	1.3	1.8	99.98%
Swanwick	1.1	1.5	100.00%
Toulouse	1.0	1.3	100.00%
Trondheim	0.8	1.6	99.87%
Tromsoe	0.9	2.4	99.53%
Warsaw	0.9	1.4	100.00%
Zurich	0.9	1.4	100.00%

Table 4 – EGNOS APV-I Accuracy (95%) and percentage of time in APV-I mode at reference stations



The next figures show the histogram and cumulative distribution function of HNSE (Horizontal Navigation System Error) and VNSE (Vertical Navigation System Error), which are computed at RIMS sites for each second over the current month.




Figure 15 – EGNOS APV-I HNSE Histogram and Cumulative Probability




Figure 16 – EGNOS APV-I VNSE Histogram and Cumulative Probability



3.2.5 EGNOS APV-I Performance at airports




Figure 17 – EGNOS APV-I Availability at airports





Figure 18 – EGNOS APV-I outages

See Appendix B for details of the APV-I Availability and Continuity at airports with published procedures using EGNOS.



3.3 EGNOS Localizer Performance with Vertical Guidance to a decision altitude of 200ft (LPV-200)

3.3.1 EGNOS LPV-200 Availability

EGNOS LPV-200 Availability is defined as the percentage of epochs in a month in which the Protection Level are below Alert Limits for this LPV-200 service ($HPL < 40m$ and $VPL < 35m$) over the total period. This value corresponds to the performance obtained under fault-free conditions using all satellites in view.

The following picture presents the EGNOS LPV-200 Availability over the current month using GEO-combined maps for the operational EGNOS GEOs.




Figure 19 – EGNOS LPV-200 Availability

Below, the evolution of the daily LPV200 Availability (99%) compliance area is presented. The percentage is computed with respect to ECAC Landmasses within the SDD commitment area. The information is presented for the last 3 months.




Figure 20 – EGNOS LPV-200 Availability compliance trend



3.3.2 EGNOS LPV-200 Continuity Risk

EGNOS LPV-200 Continuity Risk is defined as the result of dividing the total number of single continuity events using a time-sliding window of 15 seconds by the number of samples with valid and available LPV-200 navigation solution. A single continuity event occurs if the system is available at the start of the operation and in at least one of the following 15 seconds the system becomes not available. This value corresponds to the performance obtained under fault-free conditions using all satellites in view.

The following picture presents the EGNOS LPV-200 Continuity over the current month using GEO-combined maps for the operational EGNOS GEOs.




Figure 21 – EGNOS LPV-200 Continuity²

² The lack of additional performance levels in grey areas is due to the non-compliance in this region with the accuracy requirements imposed to LPV-200 service level. For more details please refer to section 6.3.3.1 of the EGNOS Safety of Life SDD [RD-2].



3.3.3 EGNOS LPV-200 Integrity

EGNOS LPV-200 Integrity Event is defined as an event when the Navigation System Error is greater or equal to the corresponding Protection Level for LPV-200.

No integrity event was detected.

Safety Index is defined as the relation between Navigation System Error versus Protection Level (assuming PA algorithms to compute xNSE and xPL) for each second. In case of ratio xPE/xPL is over 1; it indicates that a Misleading Information situation has occurred.

The next figures provide the histogram for HSI (Horizontal Safety Index) and VSI (Vertical Safety Index) for each second when accumulating measurements from the different EGNOS stations over the current month. These histograms have considered that Protection Level is below LPV-200 Alarm Limit.




Figure 22 – EGNOS LPV-200 Horizontal Safety Index of the month




Figure 23 – EGNOS LPV-200 Vertical Safety Index of the month



3.3.4 EGNOS LPV-200 Accuracy

EGNOS LPV-200 Accuracy is reported as the 95th percentile of the Horizontal and Vertical Navigation System Error over the month, at the monitored sites when the LPV-200 service is available (HPL<40m and VPL<35m).

The following table shows the monthly LPV-200 Accuracy values in meters for the combined GEO satellite signal. See Appendix A for further details of the stations where LPV-200 Accuracy are reported.

Station	HNSE 95%	VNSE 95%	% of samples with LPV-200 service available
Agadir	1.9	2.3	95.55%
Aalborg	0.8	1.4	100.00%
Athens	1.0	1.5	99.52%
Berlin	0.9	1.4	100.00%
Canary Islands	2.0	2.1	93.68%
Cork	0.9	1.3	100.00%
Catania	1.0	1.5	99.94%
Djerba	1.3	2.0	97.87%
Egilsstadir	0.8	1.7	98.57%
Glasgow	0.9	1.3	100.00%
Golbasi	1.1	1.6	93.23%
Gavle	0.9	1.6	99.87%
Jan Mayen	1.1	2.7	97.65%
Lappeenranta	0.9	1.6	99.37%
La Palma	1.9	2.1	94.24%
Lisboa	1.3	1.6	99.99%
Madeira	1.3	1.8	97.95%
Malaga	1.2	1.6	99.96%
Palma de Mallorca	1.0	1.2	100.00%
Reykjavik	0.9	1.9	92.54%
Rome	0.9	1.3	100.00%
S. de Compostela	1.2	1.3	100.00%
Sofia	1.3	1.8	99.98%
Swanwick	1.1	1.5	100.00%
Toulouse	1.0	1.3	100.00%
Trondheim	0.8	1.6	99.77%
Tromsoe	0.9	2.2	98.78%
Warsaw	0.9	1.4	100.00%
Zurich	0.9	1.4	100.00%

Table 5 – EGNOS LPV-200 Accuracy (95%) and percentage of time in LPV-200 mode at reference stations

The next figures show the histogram and cumulative distribution function of HNSE (Horizontal Navigation System Error) and VNSE (Vertical Navigation System Error), which are computed at RIMS sites for each second over the current month.




Figure 24 – EGNOS LPV-200 HNSE Histogram and Cumulative Probability




Figure 25 – EGNOS LPV-200 VNSE Histogram and Cumulative Probability



3.3.5 EGNOS LPV-200 Performance at airports




Figure 26 – EGNOS LPV-200 Availability at airports




Figure 27 – EGNOS LPV-200 outages

See Appendix C for details of the LPV-200 Availability and Continuity at airports with published procedures using EGNOS.



4 EGNOS DATA ACCESS SERVICE (EDAS)

EDAS (EGNOS Data Access Service) offers internet-based access to EGNOS data [RD-3]. It is the single point of access for the data collected and generated by the EGNOS infrastructure composed of ground stations distributed over Europe and North Africa.

The main data provided by EDAS are:

- Raw GPS, GLONASS and EGNOS GEO observations and navigation data collected by the entire network of Ranging and Integrity Monitoring Stations (RIMS) and Navigation Land Earth Stations (NLES).
- EGNOS augmentation messages, as normally received by users via the EGNOS Geostationary satellites.

These data are provided through different EDAS Services in different formats in order to meet different set of applications and needs. For a description of the EDAS services, please refer to the EDAS SDD [RD-3].

Additional information on the EDAS services is available at the EDAS specific section of the EGNOS User Support website (<https://egnos-user-support.essp-sas.eu>), including the [EDAS services status in real-time](#).

Below, the performance of EDAS Services (please refer to the EDAS SDD [RD-3] for definition details) corresponding to July 2023 is presented:

- Availability: Percentage of time during which the service provides the data according to the specifications.
- Latency: Average of the percentile 95% latencies monitored for every 5 minutes period within the month.

EDAS Service		Availability	Latency (ms)
Service Level 0	-	99.99%	691.81
Service Level 2	-	99.99%	692.29
Ntrip Service	-	99.99%	598.16
SISNeT Service	GEO Operational 1	99.98%	55.87
	GEO Operational 2	99.98%	56.55
Data Filtering Service	RIMS A	99.99%	627.94
	Central	99.99%	546.90
	MEDA	99.99%	435.19
	North-East	99.99%	174.77
	North-West	99.99%	505.23
	South-West	99.99%	481.23
FTP Service	-	100.00%	N/A

Table 6 – Performance of EDAS Services



5 EGNOS TIME SERVICE

The EGNOS Time Service supports timing application by providing specific corrections that allow the tracing of EGNOS Network Time (ENT) to the physical realisation of the Coordinated Universal Time by Observatoire de Paris, UTC (OP).

The **EGNOS Time Service Availability**³ is computed as the percentage of time per day in which it is possible to obtain the time solution referred to UTC scale by applying a valid offset between the EGNOS Network Time (ENT) and the UTC scale, provided through the EGNOS Message Type 12.

The EGNOS Time Service availability presented for the combination of both operational GEOs was almost 100% during all month, except for the day 5 July.




Figure 28 – EGNOS Time Service availability

The EGNOS Network Time is computed assuring its alignment with the GPS timescale, due to this requirement it must be satisfied that the offset between both timescales is below 50ns. The next figure shows the relative consistency of both ENT and GPS timescales over the last three months. It can be observed that the offset between them remains below 17 nanoseconds.

³ EGNOS Time Service Availability is computed taking into account that it is not possible to obtain the time solution if the navigation solution cannot be computed. Therefore, if a SiS outage longer than 3 seconds happens the MT12 data will be set as invalid in order to simulate the unavailability of the receiver to compute the PVT solution and no Time Service will be available until a new valid MT12 is received. In order to take into account the user capability of switching from one operational GEO to the other in case of SiS outage, the EGNOS Time Service availability is computed over the combination of both GEOs.




Figure 29 – ENT-GPS offset evolution.

If printed, make sure it is the applicable version.



FOR MORE INFORMATION

To get more information about EGNOS performance:

Please visit the EGNOS User Support website:

<https://egnos-user-support.essp-sas.eu>

or

Contact the EGNOS helpdesk:

egnos-helpdesk@essp-sas.eu

+34 911 236 555

Or

Download the EGNOS app from the [App Store](#) or [Google Play](#)

DISCLAIMER

All data and information (hereinafter the “Data”) provided within this document are for informational purposes only. This document does not provide the ESSP interpretation of the Data.

The European Union, as owner of EGNOS, and ESSP SAS, as EGNOS services provider, disclaim all warranties of any kind (whether express or implied) to any party and/or for any use of the Data including, but not limited to, their accuracy, integrity, reliability and fitness for a particular purpose or user requirements.

By using the Data, the user agrees that the European Union and ESSP SAS shall not be held liable for any direct or indirect or consequential loss or damage (such as loss of profits, business, contracts, anticipated savings, goodwill or revenue) resulting from the use, misuse or inability to use the Data.

Text and pictures that are part of the Data may be protected by property rights. Any use shall require the prior written agreement of ESSP SAS.



APPENDIX A RECEIVER MONITORING NETWORK

The receiver network used to report EGNOS performances in this document is based on the EGNOS monitoring stations (RIMS).

Next map shows the location of this receiver monitoring network, used in this report to present the EGNOS performances:




Figure 30 – EGNOS RIMS sites used in this report

The stations in green colour are used to report LPV-200.

The stations in green and yellow colour are used to report APV-I.

The stations in green and yellow are used to report Open Service results.

Performances corresponding to NPA include all the stations (green, yellow and red colours).

Next table shows the name and location of each one, also represents which service is used in each of them.



Id	Location name	Country
ACR	RIMS Azores	Portugal
ALB	RIMS Aalborg	Denmark
AGA	RIMS Agadir	Morocco
ATH	RIMS Athens	Greece
BRN	RIMS Berlin	Germany
CNR	RIMS Canary Isl.	Spain
CRK	RIMS Cork	Ireland
CTN	RIMS Catania	Italy
DJA	RIMS Djerba	Tunisia
EGI	RIMS Egilsstadir	Iceland
GLG	RIMS Glasgow	United Kingdom
GOL	RIMS Golbasi	Turkey
GVL	RIMS Gavle	Sweden
HFA	RIMS Haifa	Israel
JME	RIMS Jan Mayen	Norway
KIR	RIMS Kirkenes	Norway
LAP	RIMS Lappeenranta	Finland
LPI	RIMS La Palma	Spain
LSB	RIMS Lisbon	Portugal
MAD	RIMS Madeira	Portugal
MLG	RIMS Malaga	Spain
PDM	RIMS Palma de Mallorca	Spain
RKK	RIMS Reykjavik	Iceland
ROM	RIMS Rome	Italy
SDC	RIMS S. de Compostela	Spain
SOF	RIMS Sofia	Bulgaria
SWA	RIMS Swanwick	United Kingdom
TLS	RIMS Toulouse	France
TRD	RIMS Trondheim	Norway
TRO	RIMS Tromsoe	Norway
WRS	RIMS Warsaw	Poland
ZUR	RIMS Zurich	Switzerland

Table 7 – List of sites where performances are reported.

Note that for the computation of the different histograms presented in this document, some periods may have been removed, corresponding to stations presenting bad quality of data linked to local environment.



APPENDIX B EGNOS APV-I PERFORMANCE AT AIRPORTS

The table reports APV-I Availability and Continuity at airports with published procedures using EGNOS. These values correspond to the performance obtained under fault-free conditions using all satellites in view:

Airports	Country	Monthly APV-I Availability	Monthly APV-I Continuity Risk	Outages	Publication date of first APV-I procedure	APV-I Availability since procedure publication	APV-I Continuity Risk since procedure publication
BIAR / Akureyri	Iceland	99.13%	6.29E-04	342	21/05/2020	98.78%	6.67E-04
BIGR / Grimsey	Iceland	99.05%	7.59E-04	443	22/04/2021	98.66%	7.18E-04
BIHU / Husavik	Iceland	99.28%	5.51E-04	257	29/03/2019	98.96%	6.03E-04
BIVO / Vopnafjordur	Iceland	99.62%	3.17E-04	212	22/04/2021	99.33%	3.66E-04
EBAW / Antwerpen / Deurne	Belgium	100.00%	0.00E+00	0	10/12/2015	99.99%	6.59E-06
EBBR / Brussels-National	Belgium	100.00%	0.00E+00	0	02/03/2017	99.99%	5.84E-06
EBCI / Charleroi / Brussels South	Belgium	100.00%	0.00E+00	0	31/03/2016	99.99%	5.00E-06
EBKT / Kortrijk/Wevelgem	Belgium	100.00%	0.00E+00	0	09/11/2017	99.99%	6.02E-06
EBLG / Liège	Belgium	100.00%	0.00E+00	0	13/10/2016	99.99%	5.01E-06
EDAB / Bautzen	Germany	100.00%	0.00E+00	0	27/04/2017	99.94%	1.31E-05
EDBM / Magdeburg/City	Germany	100.00%	0.00E+00	0	13/12/2012	99.95%	1.35E-05
EDBN / Neubrandenburg	Germany	100.00%	0.00E+00	0	02/04/2015	99.99%	9.73E-06
EDDC / Dresden	Germany	100.00%	0.00E+00	0	15/12/2011	99.95%	1.22E-05
EDDF / Frankfurt Main	Germany	100.00%	0.00E+00	0	15/12/2011	99.95%	1.03E-05
EDDG / Münster/Osnabrück	Germany	100.00%	0.00E+00	0	15/12/2011	99.94%	1.22E-05
EDDL / Düsseldorf	Germany	100.00%	0.00E+00	0	15/12/2011	99.95%	1.04E-05
EDDR / Saarbrücken	Germany	100.00%	0.00E+00	0	01/03/2018	99.99%	4.30E-06
EDDV / Hannover	Germany	100.00%	0.00E+00	0	15/12/2011	99.94%	1.30E-05
EDFQ / Allendorf/Eder	Germany	100.00%	0.00E+00	0	21/08/2014	99.95%	1.05E-05
EDGS / Siegerland	Germany	100.00%	0.00E+00	0	12/10/2017	99.99%	5.60E-06
EDLV / Niederrhein	Germany	100.00%	0.00E+00	0	23/06/2016	99.99%	5.95E-06
EDLW / Dortmund	Germany	100.00%	0.00E+00	0	12/12/2013	99.95%	1.13E-05
EDMA / Augsburg	Germany	100.00%	0.00E+00	0	15/12/2011	99.95%	1.28E-05
EDME / Eggenfelden	Germany	100.00%	0.00E+00	0	11/12/2014	99.94%	1.38E-05
EDMS / Straubing	Germany	100.00%	0.00E+00	0	11/12/2014	99.95%	1.17E-05
EDPR / Donauwörth	Germany	100.00%	0.00E+00	0	08/12/2016	99.99%	5.13E-06
EDQC / Coburg-Brandensteinsebene	Germany	100.00%	0.00E+00	0	11/12/2014	99.95%	9.50E-06

If printed, make sure it is the applicable version.



Airports	Country	Monthly APV-I Availability	Monthly APV-I Continuity Risk	Outages	Publication date of first APV-I procedure	APV-I Availability since procedure publication	APV-I Continuity Risk since procedure publication
EDQQ / Bayreuth	Germany	100.00%	0.00E+00	0	15/12/2011	99.95%	1.00E-05
EDTD / Donaueschingen-Villingen	Germany	100.00%	0.00E+00	0	11/12/2014	99.95%	1.26E-05
EDTL / Lahr	Germany	100.00%	0.00E+00	0	23/06/2016	99.99%	6.45E-06
EDTM / Mengen-Hohentengen	Germany	100.00%	0.00E+00	0	11/12/2014	99.95%	1.34E-05
EDTY / Schwäbisch-Hall	Germany	100.00%	0.00E+00	0	13/12/2012	99.95%	1.13E-05
EDVE / Braunschweig-Wolfsburg	Germany	100.00%	0.00E+00	0	18/10/2012	99.94%	1.32E-05
EDVK / Kassel-Calden	Germany	100.00%	0.00E+00	0	04/04/2013	99.98%	8.02E-06
EDWE / Emden	Germany	100.00%	0.00E+00	0	30/05/2013	99.98%	9.19E-06
EDWI / Wilhelmshaven JadeWeserAirport	Germany	100.00%	0.00E+00	0	15/12/2011	99.94%	1.29E-05
EEKA / Kärdla	Estonia	99.91%	2.80E-05	5	31/01/2019	99.97%	2.00E-05
EEKE / Kuressaare	Estonia	99.95%	2.80E-05	5	02/03/2017	99.98%	1.80E-05
EETU / Tartu	Estonia	99.86%	6.17E-05	11	18/07/2019	99.94%	4.23E-05
EFET / Enontekiö	Finland	99.51%	2.69E-04	128	07/12/2017	99.72%	1.88E-04
EFHA / Halli	Finland	99.62%	7.57E-05	19	03/12/2020	99.91%	5.74E-05
EFHK / Helsinki-Vantaa	Finland	99.72%	1.07E-04	56	27/02/2020	99.94%	4.60E-05
EFIV / Ivalo	Finland	99.23%	5.99E-04	433	07/12/2017	99.37%	4.38E-04
EFJO / Joensuu	Finland	99.41%	4.72E-04	370	12/12/2013	99.73%	1.74E-04
EFJY / Jyväskylä	Finland	99.56%	9.04E-05	24	07/12/2017	99.90%	7.22E-05
EFKE / Kemi-Tornio	Finland	99.47%	2.93E-04	235	07/12/2017	99.85%	1.27E-04
EFKI / Kajaani	Finland	99.48%	3.17E-04	233	07/12/2017	99.80%	1.51E-04
EFKK / Kokkola-Pietarsaari	Finland	99.51%	1.98E-04	127	07/12/2017	99.92%	5.86E-05
EFKS / Kuusamo	Finland	99.03%	8.37E-04	628	07/12/2017	99.50%	3.75E-04
EFKT / Kittilä	Finland	99.48%	3.15E-04	210	07/12/2017	99.71%	2.00E-04
EFKU / Kuopio	Finland	99.48%	2.62E-04	141	07/12/2017	99.83%	1.16E-04
EFLA / Lahti-Vesivehmaa	Finland	99.63%	1.22E-04	55	26/01/2023	99.79%	1.10E-04
EFLP / Lappeenranta	Finland	99.50%	1.24E-04	22	07/12/2017	99.85%	9.71E-05
EFMA / Mariehamn	Finland	99.87%	3.36E-05	6	29/03/2019	99.97%	1.59E-05
EFMI / Mikkeli	Finland	99.54%	1.35E-04	42	27/01/2022	99.84%	8.87E-05
EFOU / Oulu	Finland	99.46%	2.83E-04	208	07/12/2017	99.87%	1.05E-04

If printed, make sure it is the applicable version.



Airports	Country	Monthly APV-I Availability	Monthly APV-I Continuity Risk	Outages	Publication date of first APV-I procedure	APV-I Availability since procedure publication	APV-I Continuity Risk since procedure publication
EFPO / Pori	Finland	99.76%	5.35E-05	15	07/12/2017	99.95%	2.96E-05
EFRO / Rovaniemi	Finland	99.45%	3.17E-04	259	07/12/2017	99.75%	1.92E-04
EFSA / Savonlinna	Finland	99.43%	2.27E-04	88	07/12/2017	99.80%	1.28E-04
EFTU / Turku	Finland	99.83%	4.41E-05	16	07/12/2017	99.96%	2.28E-05
EFUT / Utti	Finland	99.59%	1.22E-04	33	28/01/2021	99.89%	7.14E-05
EFVA / Vaasa	Finland	99.54%	1.38E-04	75	07/12/2017	99.94%	4.56E-05
EGJA / Alderney	Guernsey	99.99%	5.60E-06	1	07/12/2011	99.94%	1.15E-05
EHAM / Amsterdam	Netherlands	100.00%	0.00E+00	0	13/11/2014	99.99%	6.96E-06
EHGG / Eelde	Netherlands	100.00%	0.00E+00	0	13/11/2014	99.98%	9.37E-06
EHLE / Lelystad	Netherlands	100.00%	0.00E+00	0	05/12/2019	99.99%	3.89E-06
EHTE / Teuge	Netherlands	100.00%	0.00E+00	0	13/11/2014	99.99%	7.59E-06
EICK / Cork Airport	Ireland	99.99%	1.68E-05	3	16/08/2018	99.97%	2.42E-05
EIKN / Ireland West Airport	Ireland	99.99%	1.68E-05	3	25/03/2021	99.99%	9.43E-06
EKAH / Aarhus	Ireland	100.00%	0.00E+00	0	05/03/2015	99.98%	1.06E-05
EKAL / Ålborg hospital Mølnholm	Denmark	100.00%	0.00E+00	0	03/11/2022	100.00%	1.28E-06
EKHS / Saltum heliport	Denmark	100.00%	0.00E+00	0	03/11/2022	100.00%	1.28E-06
EKKA / Karup	Denmark	100.00%	0.00E+00	0	02/04/2015	99.98%	1.04E-05
EKKH / Kolding hospital	Denmark	100.00%	0.00E+00	0	03/11/2022	100.00%	1.28E-06
EKNH / Holsterbro HEMS	Denmark	100.00%	0.00E+00	0	03/11/2022	100.00%	1.28E-06
EKOH / Odense Hospital	Denmark	100.00%	0.00E+00	0	03/11/2022	100.00%	1.28E-06
EKRG / Gødstrup hospital	Denmark	100.00%	0.00E+00	0	03/11/2022	100.00%	1.28E-06
EKRH / Rigshospitalet København	Denmark	100.00%	0.00E+00	0	03/11/2022	100.00%	1.28E-06
EKRS / Ringsted HEMS	Denmark	100.00%	0.00E+00	0	03/11/2022	100.00%	1.28E-06
EKSE / Slagelse Hospital	Denmark	100.00%	0.00E+00	0	03/11/2022	100.00%	1.28E-06
EKSH / Skejby Ålborg hospital	Denmark	100.00%	0.00E+00	0	03/11/2022	100.00%	1.28E-06
EKSK / SKive HEMS	Denmark	100.00%	0.00E+00	0	03/11/2022	100.00%	1.28E-06
EKTH / Thisted hospital	Norway	100.00%	0.00E+00	0	03/11/2022	100.00%	0.00E+00
ENAN / Andøya/Andenes	Norway	99.55%	1.47E-04	78	02/04/2015	99.77%	1.29E-04
ENAR / Arendal hospital	Norway	100.00%	0.00E+00	0	20/05/2021	100.00%	2.93E-06
ENAT / Alta	Norway	99.42%	2.31E-04	133	08/09/2022	98.67%	5.51E-04

If printed, make sure it is the applicable version.



Airports	Country	Monthly APV-I Availability	Monthly APV-I Continuity Risk	Outages	Publication date of first APV-I procedure	APV-I Availability since procedure publication	APV-I Continuity Risk since procedure publication
ENAX / Alesund	Norway	99.99%	2.80E-05	5	18/05/2023	99.99%	1.85E-05
ENBG / Bergen Gronneviksoren	Norway	99.99%	5.60E-06	1	20/05/2021	99.99%	6.11E-06
ENBL / Førde/Bringeland	Norway	99.99%	5.60E-06	1	28/05/2015	99.97%	1.98E-05
ENBN / Brønnøysund/Brønnøy	Norway	99.73%	7.94E-05	44	08/12/2016	99.94%	4.76E-05
ENBO / Bodø	Norway	99.64%	9.78E-05	42	06/12/2018	99.86%	9.27E-05
ENBS / Båtsfjord	Norway	98.31%	1.05E-03	705	02/12/2021	97.91%	9.84E-04
ENBV / Berlevåg	Norway	98.36%	9.03E-04	506	02/12/2021	97.92%	9.79E-04
ENDU / Bardufoss	Norway	99.55%	1.42E-04	99	26/04/2018	99.75%	1.52E-04
ENEV / Evenes	Norway	99.58%	1.29E-04	73	30/03/2017	99.80%	1.24E-04
ENFL / Florø	Norway	99.99%	5.60E-06	1	02/04/2015	99.97%	2.14E-05
ENHT / Hattfjelldal	Norway	99.63%	1.13E-04	58	20/05/2021	99.90%	6.40E-05
ENHX / Haugesund Hospital	Norway	99.99%	5.60E-06	1	17/06/2021	100.00%	6.44E-06
ENKG / Kongsvinger Hospital	Norway	99.98%	2.24E-05	4	17/06/2021	99.99%	1.09E-05
ENKR / Kirkenes/Hoybuktmoen	Norway	98.54%	9.42E-04	659	27/04/2017	98.65%	7.78E-04
ENLD / Lovund	Norway	99.67%	1.15E-04	70	18/05/2023	99.79%	9.03E-05
ENLH / Lillehammer Hospital	Norway	99.97%	2.80E-05	5	17/06/2021	99.99%	1.31E-05
ENLK / Leknes	Norway	99.64%	1.09E-04	67	02/02/2017	99.84%	1.01E-04
ENLX / Lørenskog	Norway	99.99%	2.24E-05	4	18/05/2023	100.00%	1.16E-05
ENMH / Mehann	Norway	98.53%	7.36E-04	366	29/03/2019	98.49%	8.68E-04
ENMS / Mosjøen/Kjærstad	Norway	99.64%	1.28E-04	66	30/03/2017	99.92%	5.42E-05
ENNA / Lakselv/Banak	Norway	99.30%	3.98E-04	256	21/04/2022	98.83%	5.21E-04
ENN / Namsos Hospital	Norway	99.78%	5.05E-05	9	17/06/2021	99.94%	3.29E-05
ENRS / Røst	Norway	99.74%	1.12E-04	70	06/03/2014	99.85%	9.45E-05
ENRY / Moss/Rygge	Norway	100.00%	0.00E+00	0	10/12/2015	99.98%	1.38E-05
ENSH / Svolvær/Helle	Norway	99.62%	1.17E-04	80	08/12/2016	99.83%	1.04E-04
ENSK / Stokmarknes/Skagen	Norway	99.59%	1.24E-04	82	08/12/2016	99.81%	1.18E-04
ENSO / Stord/Sørstokken	Norway	99.99%	5.60E-06	1	03/03/2016	99.97%	1.64E-05
ENSP / Kalnes Hospital	Norway	100.00%	0.00E+00	0	17/06/2021	100.00%	4.39E-06
ENSR / Sorkjosen	Norway	99.54%	1.86E-04	121	20/05/2021	99.48%	2.67E-04
ENSS / Vardø/Svartnes	Norway	98.08%	1.08E-03	699	03/12/2020	98.06%	9.57E-04

If printed, make sure it is the applicable version.



Airports	Country	Monthly APV-I Availability	Monthly APV-I Continuity Risk	Outages	Publication date of first APV-I procedure	APV-I Availability since procedure publication	APV-I Continuity Risk since procedure publication
ENSX / Stavenger	Norway	99.99%	5.60E-06	1	18/05/2023	100.00%	2.31E-06
ENTO / Sandefjord/Torp	Norway	100.00%	0.00E+00	0	20/08/2015	99.98%	1.32E-05
ENTU / Tromsø University Hospital	Norway	99.53%	1.62E-04	101	17/06/2021	99.54%	2.05E-04
ENUH / Ullevaal	Norway	100.00%	0.00E+00	0	20/05/2021	100.00%	5.19E-06
ENVD / Vadsø	Norway	98.44%	1.01E-03	772	23/03/2023	98.73%	7.33E-04
ENXXXZHO / Hov	Norway	99.99%	2.80E-05	5	03/11/2022	99.99%	1.52E-05
ENYY / Levanger Hospital	Norway	99.83%	5.05E-05	9	17/06/2021	99.95%	2.65E-05
ESCM / Uppsala	Sweden	99.90%	2.24E-05	4	21/05/2020	99.98%	1.11E-05
ESEB / Boras Hospital	Sweden	100.00%	0.00E+00	0	01/12/2022	100.00%	1.43E-06
ESEN / Trollhattan / Nal sjukhus	Sweden	100.00%	0.00E+00	0	16/06/2022	100.00%	8.45E-07
ESGJ / Jönköping	Sweden	100.00%	0.00E+00	0	09/11/2017	99.99%	9.12E-06
ESGT / Trollhättan-Vänernsborgs flygplats	Sweden	100.00%	0.00E+00	0	29/03/2018	99.98%	8.15E-06
ESHB / Gothenburg DSBUS Östra Hospital	Sweden	100.00%	0.00E+00	0	23/03/2023	100.00%	0.00E+00
ESHO / Skovde Hospital	Sweden	99.99%	2.24E-05	4	01/12/2022	100.00%	7.14E-06
ESHS / Sahlgrenska hospital heliport	Sweden	100.00%	0.00E+00	0	16/06/2022	100.00%	8.45E-07
ESIB / Satenas	Sweden	100.00%	0.00E+00	0	01/12/2022	100.00%	2.14E-06
ESJD / Backefors Hospital	Sweden	100.00%	0.00E+00	0	01/12/2022	100.00%	3.91E-06
ESKM / Mora / Siljan	Sweden	99.92%	2.24E-05	4	30/01/2020	99.98%	1.08E-05
ESMK / Kristianstad	Sweden	100.00%	0.00E+00	0	06/12/2018	99.99%	7.12E-06
ESMQ / Kalmar Öland Airport	Sweden	100.00%	0.00E+00	0	29/03/2019	99.99%	7.03E-06
ESMT / Halmstad	Sweden	100.00%	0.00E+00	0	08/11/2018	99.99%	6.40E-06
ESMX / Växjö Kronoberg	Sweden	100.00%	0.00E+00	0	25/04/2019	99.99%	7.34E-06
ESND / Sveg	Sweden	99.89%	2.28E-05	5	31/01/2019	99.97%	1.65E-05
ESNG / Lapland Airport	Sweden	99.54%	1.43E-04	66	20/06/2019	99.81%	1.30E-04
ESNK / Kramfors-Sollefteå	Sweden	99.79%	3.93E-05	7	13/08/2020	99.95%	3.10E-05
ESNL / Lycksele Airport	Sweden	99.55%	1.22E-04	37	15/08/2019	99.93%	5.13E-05
ESNO / Örnsköldsvik	Sweden	99.60%	1.35E-04	37	15/06/2023	99.97%	2.92E-05
ESNS / Skellefteå Airport	Sweden	99.46%	1.61E-04	72	29/03/2019	99.91%	6.64E-05
ESNV / Vilhelmina	Sweden	99.59%	9.78E-05	25	27/02/2020	99.93%	5.26E-05



Airports	Country	Monthly APV-I Availability	Monthly APV-I Continuity Risk	Outages	Publication date of first APV-I procedure	APV-I Availability since procedure publication	APV-I Continuity Risk since procedure publication
ESNX / Arvidsjaur	Sweden	99.47%	1.72E-04	81	05/12/2019	99.88%	8.14E-05
ESOE / Örebro Airport	Sweden	99.95%	2.24E-05	4	16/08/2018	99.98%	9.19E-06
ESOH / Hagfors	Sweden	99.95%	2.24E-05	4	30/01/2020	99.99%	9.35E-06
ESOK / Karlstad	Sweden	99.97%	2.24E-05	4	05/11/2020	99.99%	1.10E-05
ESOW / Stockholm / Västerås	Sweden	99.92%	2.58E-05	10	30/01/2020	99.99%	1.02E-05
ESSD / Borlänge Dala	Sweden	99.91%	2.24E-05	4	05/11/2020	99.98%	1.23E-05
ESSP / Norrköping Kungsängen	Sweden	99.96%	2.24E-05	4	29/03/2018	99.98%	8.24E-06
ESST / Torsby	Sweden	99.96%	2.24E-05	4	23/05/2019	99.98%	1.16E-05
ESSU / Eskilstuna	Sweden	99.93%	4.52E-05	27	10/09/2020	99.98%	1.20E-05
ESSV / Visby	Sweden	99.99%	1.12E-05	2	17/06/2021	99.99%	8.45E-06
ESTA / Ängelholm	Sweden	100.00%	0.00E+00	0	19/07/2018	99.99%	7.26E-06
ESTL / Ljungbyhed	Sweden	100.00%	0.00E+00	0	17/06/2021	99.99%	1.25E-05
ESUP / Pajala	Sweden	99.52%	1.67E-04	94	31/12/2020	99.72%	1.41E-04
ESUT / Hemavan Tärnaby Airport AB	Sweden	99.63%	1.14E-04	47	11/10/2018	99.91%	6.05E-05
EYKA / Kaunas	Lithuania	100.00%	0.00E+00	0	09/09/2021	99.98%	1.06E-05
EYPA / Palanga	Lithuania	100.00%	0.00E+00	0	25/03/2021	99.99%	7.34E-06
EYVI / Vilnius	Lithuania	100.00%	0.00E+00	0	16/07/2020	99.96%	2.45E-05
GCLA / La Palma	Spain	97.75%	9.48E-04	458	14/07/2022	91.87%	1.59E-03
GCRR / Lanzarote AD	Spain	98.17%	6.94E-04	316	23/05/2019	98.04%	4.49E-04
LBBG / Burgas	Bulgaria	99.89%	1.63E-04	130	04/11/2021	99.89%	1.33E-04
LBGO / Gorna Oryahovitsa	Bulgaria	99.94%	3.92E-05	8	04/11/2021	99.91%	1.07E-04
LBPD / Plovdiv	Bulgaria	99.97%	2.24E-05	5	04/11/2021	99.92%	1.15E-04
LBWN / Varna	Bulgaria	99.90%	1.40E-04	97	16/06/2022	99.93%	7.14E-05
LDDU / Dubrovnik	Croatia	100.00%	0.00E+00	0	10/12/2015	99.98%	2.43E-05
LDOS / Osijek/Klisa	Croatia	100.00%	0.00E+00	0	29/03/2018	99.98%	2.00E-05
LDPL / Pula	Croatia	100.00%	0.00E+00	0	26/04/2018	99.98%	1.00E-05
LDRI / Rijeka	Croatia	100.00%	0.00E+00	0	10/10/2019	99.98%	9.38E-06
LDSB / Brac	Croatia	100.00%	0.00E+00	0	05/12/2019	99.97%	1.49E-05
LDSP / Split/Kastela	Croatia	100.00%	0.00E+00	0	10/10/2019	99.97%	1.27E-05
LDZA / Zagreb/Pleso	Croatia	100.00%	0.00E+00	0	29/03/2018	99.98%	8.94E-06

If printed, make sure it is the applicable version.



Airports	Country	Monthly APV-I Availability	Monthly APV-I Continuity Risk	Outages	Publication date of first APV-I procedure	APV-I Availability since procedure publication	APV-I Continuity Risk since procedure publication
LDZD / Zadar	Croatia	100.00%	0.00E+00	0	11/10/2018	99.98%	1.03E-05
LEAM / Almería	Spain	99.92%	5.79E-05	34	02/02/2017	99.92%	3.34E-05
LEBA / Córdoba	Spain	99.99%	2.58E-05	14	15/06/2023	99.99%	2.19E-05
LEBG / Burgos	Spain	100.00%	0.00E+00	0	20/04/2023	100.00%	0.00E+00
LECH / Castellón	Spain	100.00%	0.00E+00	0	21/04/2022	99.87%	4.31E-05
LEDA / Lleida	Spain	100.00%	0.00E+00	0	03/11/2022	99.85%	4.32E-05
LEGE / Girona	Spain	100.00%	0.00E+00	0	24/03/2022	99.92%	2.01E-05
LEJR / Jerez	Spain	99.99%	2.35E-05	5	02/12/2021	99.74%	8.53E-05
LEPA / Palma de Mallorca	Spain	99.99%	5.60E-06	1	01/03/2018	99.96%	1.72E-05
LERJ / Logroño	Spain	100.00%	0.00E+00	0	20/04/2023	100.00%	0.00E+00
LERS / Reus	Spain	100.00%	0.00E+00	0	01/12/2022	99.82%	4.17E-05
LEVС / Valencia	Spain	100.00%	0.00E+00	0	01/02/2018	99.96%	1.66E-05
LEVX / Vigo	Spain	99.99%	1.12E-05	2	05/12/2019	99.92%	3.46E-05
LEXJ / Santander	Spain	99.99%	5.60E-06	1	17/10/2013	99.96%	2.86E-05
LFAC / Calais	France	100.00%	0.00E+00	0	20/09/2012	99.97%	1.11E-05
LFAQ / Albert Bray	France	100.00%	0.00E+00	0	15/11/2012	99.97%	9.16E-06
LFAT / Le Touquet Paris Plage	France	100.00%	0.00E+00	0	04/02/2016	99.99%	5.98E-06
LFAV / Valenciennes Denain	France	100.00%	0.00E+00	0	19/09/2013	99.99%	7.30E-06
LFAY / Amiens Glisy	France	100.00%	0.00E+00	0	27/06/2013	99.97%	8.03E-06
LFBI / Poitiers Biard	France	100.00%	0.00E+00	0	12/11/2015	99.99%	5.65E-06
LFBK / Montluçon Gueret	France	100.00%	0.00E+00	0	17/12/2013	99.99%	1.02E-05
LFBN / Niort Marais Poitevin	France	100.00%	0.00E+00	0	02/03/2017	99.99%	6.53E-06
LFBO / Toulouse Blagnac	France	100.00%	0.00E+00	0	03/05/2012	99.93%	1.51E-05
LFBP / Pau-Pyrénées	France	100.00%	0.00E+00	0	17/03/2011	99.93%	1.89E-05
LFBR / Muret Lherm	France	100.00%	0.00E+00	0	15/10/2015	99.98%	8.88E-06
LFBT / Tarbes Lourdes Pyrénées	France	100.00%	0.00E+00	0	28/05/2015	99.98%	9.43E-06
LFCI / Albi Le Sequestre	France	100.00%	0.00E+00	0	26/05/2016	99.98%	9.65E-06
LFCK / Castres Mazamet	France	100.00%	0.00E+00	0	22/08/2013	99.97%	1.41E-05
LFCR / Rodez Marcillac	France	100.00%	0.00E+00	0	31/05/2012	99.94%	1.48E-05
LFCY / Royan Médis	France	100.00%	0.00E+00	0	30/04/2015	99.98%	7.67E-06
LFDH / Auch Lamothe	France	100.00%	0.00E+00	0	28/05/2015	99.98%	8.82E-06



Airports	Country	Monthly APV-I Availability	Monthly APV-I Continuity Risk	Outages	Publication date of first APV-I procedure	APV-I Availability since procedure publication	APV-I Continuity Risk since procedure publication
LFEC / Ouessant	France	99.99%	5.60E-06	1	11/12/2014	99.98%	1.03E-05
LFHY / Moulins Montbeugny	France	100.00%	0.00E+00	0	01/05/2014	99.99%	6.22E-06
LFJL / Metz Nancy Lorraine	France	100.00%	0.00E+00	0	04/04/2013	99.97%	1.04E-05
LFKJ / Ajaccio Napoléon Bonaparte	France	100.00%	0.00E+00	0	23/06/2016	99.98%	8.91E-06
LFLA / Auxerre Branches	France	100.00%	0.00E+00	0	21/08/2014	99.99%	6.58E-06
LFLD / Bourges	France	100.00%	0.00E+00	0	18/08/2016	99.99%	4.73E-06
LFMD / Cannes Mandelieu	France	100.00%	0.00E+00	0	05/02/2015	99.98%	9.28E-06
LFML / Marseille	France	100.00%	0.00E+00	0	08/01/2015	99.98%	8.53E-06
LFMP / Perpignan Rivesaltes	France	100.00%	0.00E+00	0	15/10/2015	99.98%	8.87E-06
LFMU / Béziers Vias	France	100.00%	0.00E+00	0	18/10/2012	99.96%	1.35E-05
LFNB / Mende	France	100.00%	0.00E+00	0	17/12/2013	99.98%	1.15E-05
LFOB / Beauvais	France	100.00%	0.00E+00	0	20/09/2012	99.97%	9.44E-06
LFOK / Chalons Vatry	France	100.00%	0.00E+00	0	02/02/2017	99.99%	5.04E-06
LFOU / Cholet le Pontreau	France	100.00%	0.00E+00	0	04/02/2016	99.98%	6.20E-06
LFOV / Laval Entrammes	France	100.00%	0.00E+00	0	26/04/2018	99.99%	5.55E-06
LFPO / Paris Orly	France	100.00%	0.00E+00	0	30/05/2013	99.97%	9.13E-06
LFQA / Reims Prunay	France	100.00%	0.00E+00	0	03/04/2014	99.99%	7.46E-06
LFQG / Nevers Fouchambault	France	100.00%	0.00E+00	0	13/12/2012	99.97%	1.02E-05
LFQM / Besançon La Vèze	France	100.00%	0.00E+00	0	18/09/2014	99.99%	7.64E-06
LFQQ / Lille Lesquin	France	100.00%	0.00E+00	0	26/06/2014	99.99%	5.89E-06
LFQT / Merville	France	100.00%	0.00E+00	0	15/11/2012	99.97%	9.36E-06
LFRB / Brest Bretagne	France	99.99%	5.60E-06	1	03/05/2012	99.94%	1.48E-05
LFRD / Dinard	France	99.99%	5.60E-06	1	06/02/2014	99.98%	8.49E-06
LFRG / Deauville Saint Gatien	France	100.00%	0.00E+00	0	18/09/2014	99.99%	6.51E-06
LFRM / Le Mans	France	100.00%	0.00E+00	0	15/11/2012	99.97%	1.10E-05
LFRN / Rennes	France	99.99%	5.60E-06	1	30/05/2013	99.97%	1.09E-05
LFRS / Nantes	France	99.99%	5.60E-06	1	28/06/2012	99.97%	1.27E-05
LFRU / Morlaix Ploujean	France	99.99%	5.60E-06	1	13/10/2016	99.98%	7.56E-06
LFRV / Vannes Meucon	France	99.99%	5.60E-06	1	31/05/2012	99.94%	1.29E-05
LFSB / Bâle-Mulhouse	France	100.00%	0.00E+00	0	10/12/2015	99.99%	6.04E-06
LFSD / Dijon-Longvic	France	100.00%	0.00E+00	0	28/04/2016	99.99%	4.96E-06

If printed, make sure it is the applicable version.



Airports	Country	Monthly APV-I Availability	Monthly APV-I Continuity Risk	Outages	Publication date of first APV-I procedure	APV-I Availability since procedure publication	APV-I Continuity Risk since procedure publication
LFSG / Epinal Mirecourt	France	100.00%	0.00E+00	0	30/05/2013	99.97%	1.08E-05
LGIO / Ioannina	Greece	99.99%	5.60E-06	1	27/02/2020	99.94%	9.23E-05
LGKO / Kos	Greece	99.72%	3.29E-04	229	27/02/2020	99.86%	1.58E-04
LGMT / Mitilini	Greece	99.93%	1.10E-04	81	27/02/2020	99.92%	1.18E-04
LGTS / Thessaloniki	Greece	100.00%	0.00E+00	0	27/02/2020	99.94%	1.07E-04
LHBC / Békéscsaba Repülőtér	Hungary	99.99%	5.60E-06	1	28/01/2021	99.97%	3.44E-05
LHDC / Debrecen International Airport	Hungary	100.00%	0.00E+00	0	30/01/2020	99.97%	3.16E-05
LHNY / Nyíregyháza	Hungary	100.00%	0.00E+00	0	24/03/2022	99.98%	3.57E-05
LHPP / Pecs-Pogany Airport	Hungary	100.00%	0.00E+00	0	03/12/2020	99.98%	1.42E-05
LHPR / Győr-Pér	Hungary	100.00%	0.00E+00	0	25/02/2021	99.98%	9.41E-06
LHSM / Heviz-Balaton	Hungary	100.00%	0.00E+00	0	25/03/2021	99.98%	7.37E-06
LICJ / Palermo/Punta Raisi	Italy	99.99%	1.12E-05	2	11/10/2018	99.95%	2.09E-05
LIDT / Trento/Mattarello	Italy	100.00%	0.00E+00	0	30/01/2020	99.99%	4.70E-06
LIEA / Alghero/Fertilia	Italy	100.00%	0.00E+00	0	11/10/2018	99.97%	1.19E-05
LIKC / Cles Helipad	Italy	100.00%	0.00E+00	0	01/12/2022	99.99%	4.20E-06
LIMC / Milano/Malpensa	Italy	100.00%	0.00E+00	0	21/08/2014	99.99%	7.90E-06
LIME / Bergamo/Orio al Serio	Italy	100.00%	0.00E+00	0	20/07/2017	99.99%	6.40E-06
LIML / Milano/Linate	Italy	100.00%	0.00E+00	0	13/12/2012	99.97%	1.21E-05
LIPE / Bologna / Borgo Panigale	Italy	100.00%	0.00E+00	0	03/01/2019	99.98%	1.14E-05
LIPZ / Venezia/Tessera	Italy	100.00%	0.00E+00	0	27/06/2013	99.96%	1.52E-05
LIRF / Roma-Fiumicino	Italy	100.00%	0.00E+00	0	23/05/2019	99.97%	9.32E-06
LIRQ / Firenze/Peretola	Italy	100.00%	0.00E+00	0	22/06/2017	99.98%	8.70E-06
LJPZ / Portozzo	Slovenia	100.00%	0.00E+00	0	01/12/2022	99.97%	1.53E-05
LKKU / Kunovice	Czech republic	100.00%	0.00E+00	0	01/12/2017	99.99%	9.99E-06
LKKV / Karlovy Vary	Czech republic	100.00%	0.00E+00	0	13/11/2014	99.99%	6.74E-06
LKMT / Ostrava	Czech republic	100.00%	0.00E+00	0	09/01/2014	99.98%	1.25E-05
LKTB / Brno	Czech republic	100.00%	0.00E+00	0	09/01/2014	99.98%	1.20E-05
LKVO / Praha/Vodochody	Czech republic	100.00%	0.00E+00	0	25/06/2015	99.99%	7.19E-06
LMML / Luqa	Malta	99.79%	1.61E-04	73	11/10/2018	99.90%	6.84E-05
LOAV / Vöslau	Austria	100.00%	0.00E+00	0	28/02/2019	99.99%	5.26E-06

If printed, make sure it is the applicable version.



Airports	Country	Monthly APV-I Availability	Monthly APV-I Continuity Risk	Outages	Publication date of first APV-I procedure	APV-I Availability since procedure publication	APV-I Continuity Risk since procedure publication
LODO / ÖAMTC/Oberwart	Austria	100.00%	0.00E+00	0	28/02/2019	99.99%	5.84E-06
LPCS / Cascais	Portugal	99.99%	1.90E-05	5	20/05/2021	99.86%	4.38E-05
LPFR / Faro	Portugal	99.99%	5.60E-06	1	18/07/2019	99.88%	4.87E-05
LPPR / Porto	Portugal	99.99%	1.12E-05	2	12/10/2017	99.94%	3.18E-05
LPPS / Porto Santo	Portugal	99.67%	2.63E-04	169	09/09/2022	97.54%	5.56E-04
LPPT / Lisboa	Portugal	99.99%	1.12E-05	2	28/05/2015	99.95%	2.70E-05
LRCL / Cluj - Napoca / Avram Iancu	Romania	99.99%	5.60E-06	2	10/11/2016	99.94%	6.55E-05
LSHI / Bern-Insel Hospital	Switzerland	100.00%	0.00E+00	0	23/07/2015	100.00%	0.00E+00
LSMD / Dübendorf	Switzerland	100.00%	0.00E+00	0	21/08/2014	99.99%	8.25E-06
LSME / Emmen	Switzerland	100.00%	0.00E+00	0	03/04/2014	99.99%	7.62E-06
LSZR / St. Gallen-Altenrhein	Switzerland	100.00%	0.00E+00	0	17/11/2011	99.95%	1.23E-05
XZAE / Aenes	Norway	99.99%	5.60E-06	1	18/05/2023	100.00%	2.31E-06
XZBK / Bjarkoy	Norway	99.56%	1.20E-04	58	20/05/2021	99.66%	1.48E-04
XZES / Evenskjaer	Norway	99.58%	1.24E-04	66	20/05/2021	99.69%	1.52E-04
XZFI / Finnsnes	Norway	99.54%	1.46E-04	102	20/05/2021	99.62%	1.73E-04
XZFN / Fodnes	Norway	99.99%	5.60E-06	1	18/05/2023	100.00%	9.88E-06
XZFS / Farsund	Norway	99.99%	5.60E-06	1	20/04/2023	100.00%	1.69E-06
XZHM / Hamar Hospital	Norway	99.97%	2.24E-05	4	17/06/2021	99.99%	1.02E-05
XZIH / Innhavet	Norway	99.59%	1.24E-04	70	17/06/2021	99.76%	1.35E-04
XZKA / Kautokeino	Norway	99.48%	1.75E-04	100	20/05/2021	99.50%	2.33E-04
XZKB / Kongsberg Hospital	Norway	100.00%	0.00E+00	0	17/06/2021	100.00%	3.72E-06
XZKK / Kirkenes	Norway	98.51%	9.59E-04	729	18/05/2023	99.19%	5.96E-04
XZKS / Karasjok	Norway	99.32%	4.30E-04	281	20/05/2021	99.24%	4.02E-04
XZLK / Lofoten Hospital	Norway	99.64%	1.07E-04	65	17/06/2021	99.78%	1.20E-04
XZMK / Mosjøen	Norway	99.64%	1.34E-04	68	17/06/2021	99.89%	6.45E-05
XZMY / Mysen	Norway	100.00%	0.00E+00	0	17/06/2021	100.00%	4.32E-06
XZNK / Narvik	Norway	99.64%	1.07E-04	65	17/06/2021	99.78%	1.20E-04
XZRD / Rodøy	Norway	99.68%	1.01E-04	58	18/05/2023	99.79%	7.28E-05
XZRJ / Rjukan	Norway	99.99%	5.60E-06	1	20/04/2023	100.00%	1.69E-06
XZRL / Rindal	Norway	99.94%	2.80E-05	5	20/04/2023	99.95%	3.89E-05
XZSC / Skjervøy	Norway	99.52%	1.72E-04	92	17/06/2021	99.42%	2.82E-04

If printed, make sure it is the applicable version.



Airports	Country	Monthly APV-I Availability	Monthly APV-I Continuity Risk	Outages	Publication date of first APV-I procedure	APV-I Availability since procedure publication	APV-I Continuity Risk since procedure publication
XZSK / Steinkjer	Norway	99.80%	5.05E-05	9	20/04/2023	99.88%	5.58E-05
XZSL / Surnadal	Norway	99.95%	2.80E-05	5	20/04/2023	99.96%	3.22E-05
XZSO / Storsteinnes	Norway	99.55%	1.64E-04	128	20/05/2021	99.59%	1.85E-04
XZSS / Sandnessjøen Hospital	Norway	99.68%	1.23E-04	77	17/06/2021	99.89%	6.57E-05
XZTG / Treungen	Norway	100.00%	0.00E+00	0	18/05/2023	100.00%	0.00E+00
XZTL / Trysil	Norway	99.94%	2.24E-05	4	20/04/2023	99.97%	2.00E-05
XZTN / Trones	Norway	99.75%	5.17E-05	12	17/06/2021	99.93%	4.33E-05
XZVB / Vrangerbotn	Norway	98.67%	7.67E-04	448	18/05/2023	99.27%	4.94E-04
XZVG / Vangsnes	Norway	99.99%	5.60E-06	1	20/04/2023	99.99%	1.02E-05

Table 8 – Monthly APV-I Availability at airports with published procedures using EGNOS.



APPENDIX C EGNOS LPV-200 PERFORMANCE AT AIRPORTS

The table reports LPV-200 Availability and Continuity at airports with published procedures using EGNOS. These values correspond to the performance obtained under fault-free conditions using all satellites in view:

Airports	Country	Monthly LPV-200 Availability	Monthly LPV-200 Continuity Risk	Outages ⁴	Publication date of first LPV-200 procedure	LPV-200 Availability since procedure publication	LPV-200 Continuity Risk since procedure publication
EBLG / Liège	Belgium	100.00%	0.00E+00	0	19/05/2022	100.00%	6.54E-06
EBOS / Oostende-Brugge	Belgium	100.00%	0.00E+00	0	03/01/2019	99.98%	9.62E-06
EDAC / Leipzig/Altenburg	Germany	100.00%	0.00E+00	0	29/03/2019	99.98%	1.12E-05
EDAY / Strausberg	Germany	100.00%	0.00E+00	0	17/06/2021	99.99%	3.91E-06
EDAZ / Schoenhagen	Germany	100.00%	0.00E+00	0	11/10/2018	99.98%	1.16E-05
EDBH / Barth	Germany	100.00%	0.00E+00	0	09/09/2021	100.00%	5.49E-06
EDDB / Berlin Brandenburg	Germany	100.00%	0.00E+00	0	08/10/2020	99.99%	4.14E-06
EDDE / Erfurt-Weimar	Germany	100.00%	0.00E+00	0	09/09/2021	100.00%	3.97E-06
EDDF / Frankfurt Main	Germany	100.00%	0.00E+00	0	18/06/2020	100.00%	0.00E+00
EDDH / Hamburg	Germany	100.00%	0.00E+00	0	15/12/2011	99.99%	6.07E-06
EDDK / Koeln-Bonn	Germany	100.00%	0.00E+00	0	12/09/2019	99.99%	7.84E-06
EDDM / München	Germany	100.00%	0.00E+00	0	01/12/2022	99.99%	9.37E-06
EDDN / Nürnberg	Germany	100.00%	0.00E+00	0	30/01/2020	100.00%	4.29E-06
EDDP / Leipzig/Halle	Germany	100.00%	0.00E+00	0	30/03/2017	99.99%	1.05E-05
EDDW / Bremen	Germany	100.00%	0.00E+00	0	14/09/2017	99.98%	1.23E-05
EDFH / Frankfurt Hahn	Germany	100.00%	0.00E+00	0	12/10/2017	99.99%	8.99E-06
EDGS / Siegerland	Germany	100.00%	0.00E+00	0	18/06/2020	99.99%	1.03E-05
EDHI / Hamburg/Finkenwerder	Germany	100.00%	0.00E+00	0	18/06/2020	99.99%	6.33E-06
EDHK / Kiel-Holtenau	Germany	100.00%	0.00E+00	0	18/06/2020	99.99%	7.03E-06
EDHL / Luebeck-Blankensee	Germany	100.00%	0.00E+00	0	04/11/2021	99.99%	5.57E-06
EDJA / Memmingen	Germany	100.00%	0.00E+00	0	06/12/2018	99.99%	6.34E-06
EDLN / Moenchengladbach	Germany	100.00%	0.00E+00	0	10/10/2019	99.99%	1.12E-05
EDLP / Paderborn/Lippstadt	Germany	100.00%	0.00E+00	0	11/10/2018	99.99%	7.86E-06
EDMA / Augsburg	Germany	100.00%	0.00E+00	0	23/05/2019	99.98%	9.43E-06

⁴ Outages refer to events when the LPV200 service changes its status from Available to Unavailable for the reported month.



Airports	Country	Monthly LPV-200 Availability	Monthly LPV-200 Continuity Risk	Outages ⁴	Publication date of first LPV-200 procedure	LPV-200 Availability since procedure publication	LPV-200 Continuity Risk since procedure publication
EDMO / Oberpfaffenhofen	Germany	100.00%	0.00E+00	0	19/07/2018	99.99%	9.20E-06
EDNY / Friedrichshafen	Germany	100.00%	0.00E+00	0	02/12/2021	99.99%	9.90E-06
EDQA / Bamberg-Breitenau	Germany	100.00%	0.00E+00	0	02/12/2021	100.00%	3.95E-06
EDQG / Giebelstadt	Germany	100.00%	0.00E+00	0	21/06/2018	100.00%	4.18E-06
EDQM / Hof-Plauen	Germany	100.00%	0.00E+00	0	23/04/2020	99.99%	9.68E-06
EDQT / Hassfurt-Schweinfurt	Germany	100.00%	0.00E+00	0	27/04/2017	99.99%	7.90E-06
EDSB / Karlsruhe/Baden-Baden	Germany	100.00%	0.00E+00	0	27/04/2017	99.99%	9.36E-06
EDTL / Lahr	Germany	100.00%	0.00E+00	0	20/04/2023	99.99%	9.51E-06
EDXW / Sylt	Germany	100.00%	0.00E+00	0	03/11/2022	100.00%	0.00E+00
EETU / Pärnu	Estonia	99.90%	6.58E-05	30	06/12/2018	99.87%	1.78E-04
EETN / Lennart Meri Tallinn	Estonia	99.80%	1.14E-04	90	18/07/2019	99.90%	1.39E-04
EETU / Tartu	Estonia	99.78%	1.11E-04	34	11/08/2022	99.86%	1.71E-04
EFTP/ Tampere-Pirkkala	Finland	99.59%	1.88E-04	101	10/10/2019	99.71%	3.29E-04
EGJB / Guernsey	Guernsey	99.99%	5.60E-06	1	23/05/2019	99.98%	9.94E-06
EGJJ / Jersey	Jersey	99.99%	5.60E-06	1	05/12/2019	99.98%	9.33E-06
EHAM / Amsterdam	Netherlands	100.00%	0.00E+00	0	31/12/2020	99.98%	1.18E-05
EHBD / Weert/Budel	Netherlands	100.00%	0.00E+00	0	14/07/2022	100.00%	5.19E-06
EHBK / Maastricht Aachen	Netherlands	100.00%	0.00E+00	0	28/01/2021	100.00%	7.40E-06
EHEH / Eindhoven	Netherlands	100.00%	0.00E+00	0	28/01/2021	100.00%	4.57E-06
EHKD / Den Helder - De Kooy	Netherlands	100.00%	0.00E+00	0	28/01/2021	99.99%	6.67E-06
EHLW / Leeuwarden	Netherlands	100.00%	0.00E+00	0	03/11/2022	99.99%	7.38E-06
EHRD / Rotterdam The Hague	Netherlands	100.00%	0.00E+00	0	26/01/2023	100.00%	3.12E-06
EHWO / Woensdrecht	Netherlands	100.00%	0.00E+00	0	08/09/2022	100.00%	3.34E-06
EIDW / Dublin airport	Ireland	99.99%	1.12E-05	2	01/12/2022	100.00%	7.15E-06
EISG / Sligo	Ireland	99.99%	1.68E-05	3	20/07/2017	99.99%	7.91E-06
EKBI / Billund	Denmark	100.00%	0.00E+00	0	26/03/2020	99.98%	1.45E-05
EKEB / Esbjerg	Denmark	100.00%	0.00E+00	0	30/12/2021	99.99%	7.92E-06
EKSB / Sønderborg	Denmark	100.00%	0.00E+00	0	26/03/2020	100.00%	4.40E-06
ELLX / Luxembourg	Luxembourg	100.00%	0.00E+00	0	07/11/2019	99.99%	7.59E-06

If printed, make sure it is the applicable version.



Airports	Country	Monthly LPV-200 Availability	Monthly LPV-200 Continuity Risk	Outages ⁴	Publication date of first LPV-200 procedure	LPV-200 Availability since procedure publication	LPV-200 Continuity Risk since procedure publication
ENAL / Ålesund/Vigra	Norway	99.99%	7.73E-05	27	27/04/2017	99.94%	4.95E-05
ENBL / Førde/Bringeland	Norway	99.99%	5.60E-06	1	28/02/2019	99.95%	3.62E-05
ENBR / Bergen/Flesland	Norway	99.99%	5.60E-06	1	23/02/2023	99.97%	2.85E-05
ENCN / Kristiansand/Kjевik	Norway	100.00%	0.00E+00	0	15/07/2021	100.00%	1.09E-06
ENEV / Harstad/Narvik/Evenes	Norway	99.04%	8.72E-04	658	10/11/2016	99.13%	1.16E-03
ENGM / Gardermoen	Norway	99.99%	2.24E-05	4	13/08/2020	99.97%	2.44E-05
ENHD / Haugesund/ Karmøy	Norway	99.99%	5.60E-06	1	03/12/2020	99.98%	1.98E-05
ENHK / Hasvik	Norway	97.84%	1.81E-03	1297	31/12/2020	98.09%	1.90E-03
ENKB / Kristiansund/ Kvernberget	Norway	99.91%	1.85E-04	102	30/03/2017	99.93%	6.18E-05
ENML / Molde/Årø	Norway	99.95%	1.65E-04	81	27/04/2017	99.95%	4.33E-05
ENNM / Namsos	Norway	99.59%	3.53E-04	246	12/10/2017	99.91%	1.05E-04
ENOL / Ørland	Norway	99.79%	3.16E-04	221	02/02/2017	99.93%	7.28E-05
ENRM / Rørvik/Ryum	Norway	99.56%	3.50E-04	244	14/09/2017	99.90%	1.12E-04
ENSG / Sogndal/Haukasen	Norway	99.99%	5.60E-06	1	30/01/2020	99.96%	2.86E-05
ENST / Sandnessjøen/ Stokka	Norway	99.42%	4.25E-04	323	15/07/2021	99.77%	3.10E-04
ENTX / Oslo Helikopterplass Taraldrud	Norway	100.00%	0.00E+00	0	27/02/2020	99.99%	2.10E-05
ENVA / Trondheim/Værnes	Norway	99.77%	3.19E-04	220	09/11/2017	99.92%	9.32E-05
ENZV / Stavanger/Sola	Norway	99.99%	5.60E-06	1	26/04/2018	99.97%	2.16E-05
EPBY / Bydgoszcz - Szwederowo	Poland	100.00%	0.00E+00	0	26/04/2018	99.97%	1.69E-05
EPGD / Gdańsk Lech Wałęsa	Poland	100.00%	0.00E+00	0	26/04/2018	99.97%	1.69E-05
EPKK / Kraków - Balice	Poland	100.00%	0.00E+00	0	26/04/2018	99.97%	3.11E-05
EPKT / Katowice	Poland	100.00%	0.00E+00	0	26/04/2018	99.97%	2.34E-05
EPLB / Lublin	Poland	100.00%	0.00E+00	0	21/06/2018	99.93%	6.68E-05
EPLL / Łódź - Lublinek	Poland	100.00%	0.00E+00	0	26/04/2018	99.97%	2.14E-05
EMPO / Warszawa/Modlin	Poland	100.00%	0.00E+00	0	18/07/2019	99.97%	2.51E-05
EPPO / Poznan Lawica	Poland	100.00%	0.00E+00	0	26/04/2018	99.98%	1.35E-05
EPRZ / Rzeszów - Jasionka	Poland	100.00%	0.00E+00	0	26/04/2018	99.95%	5.95E-05
EPSC / Szczecin - Goleniów	Poland	100.00%	0.00E+00	0	26/04/2018	99.98%	1.29E-05

If printed, make sure it is the applicable version.



Airports	Country	Monthly LPV-200 Availability	Monthly LPV-200 Continuity Risk	Outages ⁴	Publication date of first LPV-200 procedure	LPV-200 Availability since procedure publication	LPV-200 Continuity Risk since procedure publication
EPSY / Olsztyn - Mazury	Poland	100.00%	0.00E+00	0	26/04/2018	99.97%	2.29E-05
EPWA / Warszawa - F. Chopin	Poland	100.00%	0.00E+00	0	26/04/2018	99.97%	2.75E-05
EPWR / Wroclaw/Strachowice	Poland	100.00%	0.00E+00	0	18/07/2019	99.98%	1.37E-05
EPZG / Zielona Góra - Babimost	Poland	100.00%	0.00E+00	0	04/11/2021	99.98%	1.32E-05
ESGP / Säve	Sweden	100.00%	0.00E+00	0	25/03/2021	100.00%	1.16E-05
ESSV / Visby	Sweden	99.99%	2.24E-05	4	27/01/2022	99.98%	1.88E-05
EVGA / Lielvarde	Latvia	99.99%	6.98E-05	36	16/06/2022	99.96%	4.81E-05
EVLA / Liepaja	Latvia	100.00%	0.00E+00	0	27/01/2022	99.99%	8.93E-06
EVRA / Riga	Latvia	99.99%	2.80E-05	5	04/11/2021	99.97%	4.25E-05
LEBL / Josep Tarradellas Barcelona-El Prat	Spain	100.00%	0.00E+00	0	23/02/2023	99.92%	2.15E-05
LEMD / AS Madrid-Barajas	Spain	100.00%	0.00E+00	0	21/11/2017	99.71%	7.96E-05
LFAQ / Albert Bray	France	100.00%	0.00E+00	0	21/11/2017	99.98%	9.16E-06
LFAT / Le Touquet Paris Plage	France	100.00%	0.00E+00	0	21/11/2017	99.98%	1.02E-05
LFAV / Valenciennes Denain	France	100.00%	0.00E+00	0	21/11/2017	99.98%	1.02E-05
LFBA / Agen La Garenne	France	100.00%	0.00E+00	0	21/11/2017	99.97%	1.80E-05
LFBD / Bordeaux Merignac	France	100.00%	0.00E+00	0	21/11/2017	99.98%	1.57E-05
LFBE / Bergerac	France	100.00%	0.00E+00	0	03/11/2022	99.98%	1.51E-05
LFBF / Toulouse Francazal	France	100.00%	0.00E+00	0	04/11/2021	99.88%	3.99E-05
LFBH / La Rochelle	France	100.00%	0.00E+00	0	21/11/2017	99.99%	1.22E-05
LFBI / Poitiers Biard	France	100.00%	0.00E+00	0	21/11/2017	99.98%	1.14E-05
LFBL / Limoges	France	100.00%	0.00E+00	0	04/11/2021	99.98%	1.23E-05
LFBS / Biscarrosse Parentis	France	100.00%	0.00E+00	0	21/11/2017	99.97%	2.27E-05
LFBU / Angoulême Brie Champniers	France	100.00%	0.00E+00	0	25/05/2017	99.98%	1.38E-05
LFBX / Périgueux Bassillac	France	100.00%	0.00E+00	0	26/04/2018	99.98%	1.32E-05
LFBZ / Biarritz Bayonne Anglet	France	100.00%	0.00E+00	0	03/11/2022	99.96%	2.01E-05
LFCC / CAHORS LALBENQUE	France	100.00%	0.00E+00	0	21/11/2017	99.94%	3.85E-05
LFCI / Albi Le Sequestre	France	100.00%	0.00E+00	0	21/11/2017	99.97%	1.79E-05

If printed, make sure it is the applicable version.



Airports	Country	Monthly LPV-200 Availability	Monthly LPV-200 Continuity Risk	Outages ⁴	Publication date of first LPV-200 procedure	LPV-200 Availability since procedure publication	LPV-200 Continuity Risk since procedure publication
LFCR / Rodez Marcillac	France	100.00%	0.00E+00	0	03/11/2022	99.98%	1.68E-05
LFDJ / Pamiers Les Pujols	France	100.00%	0.00E+00	0	23/05/2018	99.86%	3.80E-05
LFDN / Rochefort Charente Maritime	France	100.00%	0.00E+00	0	04/11/2021	99.98%	1.39E-05
LFEY / Ile d Yeu	France	99.99%	5.60E-06	1	21/06/2018	99.99%	9.95E-06
LFGA / Colmar Houssen	France	100.00%	0.00E+00	0	21/11/2017	99.99%	1.01E-05
LFGJ / Dole Tavaux	France	100.00%	0.00E+00	0	28/02/2019	99.99%	1.08E-05
LFHP / Le Puy Loudes	France	100.00%	0.00E+00	0	21/11/2017	99.98%	1.39E-05
LFJL / Metz Nancy Lorraine	France	100.00%	0.00E+00	0	21/11/2017	99.99%	9.97E-06
LFJR / Angers Marcé	France	100.00%	0.00E+00	0	07/12/2017	99.98%	1.08E-05
LFKB / Bastia Poretta	France	100.00%	0.00E+00	0	04/11/2021	99.97%	1.91E-05
LFKC / Calvi Sainte Catherine	France	100.00%	0.00E+00	0	21/11/2017	99.95%	1.84E-05
LFKF / Figari Sud Corse	France	100.00%	0.00E+00	0	21/11/2017	99.96%	2.27E-05
LFLC / Clermont-Ferrand Auvergne	France	100.00%	0.00E+00	0	01/12/2022	99.98%	1.27E-05
LFLG / Grenoble – Le Versoud	France	100.00%	0.00E+00	0	15/08/2019	99.98%	1.11E-05
LFLL / Lyon St Exupery	France	100.00%	0.00E+00	0	02/03/2017	99.99%	1.25E-05
LFLN / Saint Yan	France	100.00%	0.00E+00	0	04/11/2021	99.98%	1.12E-05
LFLP / Annecy Meythet	France	100.00%	0.00E+00	0	13/10/2016	99.99%	9.90E-06
LFLS / Grenoble Isere	France	100.00%	0.00E+00	0	21/11/2017	99.98%	1.09E-05
LFLU / Valence	France	100.00%	0.00E+00	0	26/04/2018	99.98%	1.27E-05
LFLV / Vichy Charmeil	France	100.00%	0.00E+00	0	15/08/2019	99.99%	9.92E-06
LFLW / Aurillac	France	100.00%	0.00E+00	0	15/08/2019	99.98%	1.54E-05
LFLX / Chateauroux Deols	France	100.00%	0.00E+00	0	28/09/2016	99.98%	9.25E-06
LFLY / Lyon Bron	France	100.00%	0.00E+00	0	02/02/2017	99.98%	1.18E-05
LFMH / Saint Étienne Bouthéon	France	100.00%	0.00E+00	0	21/11/2017	99.98%	1.12E-05
LFMK / Carcassonne Salvaza	France	100.00%	0.00E+00	0	03/11/2022	99.97%	1.66E-05
LFML / MARSEILLE PROVENCE	France	100.00%	0.00E+00	0	24/04/2019	99.90%	3.12E-05
LFMN / Nice Côte d'Azur	France	100.00%	0.00E+00	0	05/12/2019	99.97%	1.50E-05
LFMT / Montpellier Mediterranee	France	100.00%	0.00E+00	0	21/06/2018	99.96%	1.74E-05

If printed, make sure it is the applicable version.



Airports	Country	Monthly LPV-200 Availability	Monthly LPV-200 Continuity Risk	Outages ⁴	Publication date of first LPV-200 procedure	LPV-200 Availability since procedure publication	LPV-200 Continuity Risk since procedure publication
LFMV / Avignon Caumont	France	100.00%	0.00E+00	0	01/12/2022	99.97%	1.34E-05
LFOB / Beauvais	France	100.00%	0.00E+00	0	21/11/2017	100.00%	5.43E-06
LFOH / Le Havre Octeville	France	100.00%	0.00E+00	0	24/04/2019	99.98%	9.76E-06
LFOQ / Blois le Breuil	France	100.00%	0.00E+00	0	03/11/2022	99.98%	8.36E-06
LFOT / TOURS VAL DE LOIRE	France	100.00%	0.00E+00	0	04/11/2021	100.00%	5.51E-06
LFOZ / Orléans Saint Denis De L'Hotel	France	100.00%	0.00E+00	0	21/11/2017	100.00%	4.39E-06
LFPB / Paris-Le Bourget	France	100.00%	0.00E+00	0	28/04/2016	99.99%	8.46E-06
LFPG / Paris Charles de Gaulle	France	100.00%	0.00E+00	0	21/11/2017	99.98%	7.60E-06
LFPM / Melun Villaroche	France	100.00%	0.00E+00	0	27/04/2017	99.98%	9.10E-06
LFPN / Toussus Le Noble	France	100.00%	0.00E+00	0	21/11/2017	99.99%	7.98E-06
LFPO / Paris Orly	France	100.00%	0.00E+00	0	21/11/2017	99.98%	8.59E-06
LFPT / Pontoise Cormeilles en Vexin	France	100.00%	0.00E+00	0	18/08/2016	99.98%	8.62E-06
LFQB / Troyes Barberey	France	100.00%	0.00E+00	0	04/11/2021	99.99%	7.89E-06
LFRB / Brest Bretagne	France	99.99%	5.60E-06	1	23/06/2016	99.99%	1.33E-05
LFRC / Cherbourg Maupertus	France	99.99%	5.60E-06	1	21/11/2017	99.98%	9.01E-06
LFRD / Dinard	France	99.99%	5.60E-06	1	04/11/2021	99.98%	1.10E-05
LFRG / Deauville Normandie	France	100.00%	0.00E+00	0	10/11/2016	100.00%	7.51E-06
LFRI / La Roche Sur Yon	France	100.00%	0.00E+00	0	21/11/2017	99.98%	1.18E-05
LFRK / Caen Carpiquet	France	99.99%	5.60E-06	1	21/11/2017	99.98%	1.01E-05
LFRO / Lannion	France	99.99%	5.60E-06	1	21/11/2017	99.98%	1.27E-05
LFRQ / Quimper	France	99.99%	5.60E-06	1	21/11/2017	99.97%	2.10E-05
LFRT / Saint Brieuc Armor	France	99.99%	5.60E-06	1	03/12/2020	99.98%	1.22E-05
LFRZ / Saint Nazaire Montoir	France	99.99%	5.60E-06	1	04/11/2021	99.98%	1.39E-05
LFSL / Brive Souillac	France	100.00%	0.00E+00	0	26/04/2018	99.99%	1.62E-05
LFSN / Nancy Essey	France	100.00%	0.00E+00	0	21/11/2017	99.99%	9.60E-06
LFST / Strasbourg Entzheim	France	100.00%	0.00E+00	0	21/11/2017	99.99%	9.70E-06
LFTW / Nîmes Garons	France	100.00%	0.00E+00	0	15/09/2016	99.97%	1.42E-05
LHBP / Budapest Liszt	Hungary	100.00%	0.00E+00	0	03/12/2020	99.95%	5.96E-05

If printed, make sure it is the applicable version.



Airports	Country	Monthly LPV-200 Availability	Monthly LPV-200 Continuity Risk	Outages ⁴	Publication date of first LPV-200 procedure	LPV-200 Availability since procedure publication	LPV-200 Continuity Risk since procedure publication
Ferenc							
LHPP / Pecs-Pogany Airport	Hungary	100.00%	0.00E+00	0	25/02/2021	99.95%	4.56E-05
LHPR / Győr-Pér	Hungary	100.00%	0.00E+00	0	25/03/2021	99.97%	1.80E-05
LHSM / Heviz-Balaton	Hungary	100.00%	0.00E+00	0	25/03/2021	99.97%	2.28E-05
LIBD / Bari / Palestre	Italy	100.00%	0.00E+00	0	20/05/2021	99.90%	7.91E-05
LIBG / Taranto/Grottaglie	Italy	100.00%	0.00E+00	0	07/10/2021	99.88%	9.23E-05
LIBR / Brindisi / Casale	Italy	100.00%	0.00E+00	0	08/09/2022	99.86%	9.07E-05
LICA / Lamezia Terme	Italy	100.00%	0.00E+00	0	30/01/2020	99.87%	6.43E-05
LICD / Lampedusa	Italy	99.48%	6.12E-04	395	31/05/2018	99.74%	1.89E-04
LICG / Pantelleria	Italy	99.79%	8.16E-05	19	19/07/2018	99.88%	1.03E-04
LICR / Reggio Calabria	Italy	99.97%	3.32E-05	12	11/08/2022	99.88%	1.27E-04
LIEO/Costa Smeralda	Italy	99.99%	5.60E-06	1	23/04/2020	99.88%	3.74E-05
LIMC / Milano/Malpensa	Italy	100.00%	0.00E+00	0	08/10/2020	99.98%	1.18E-05
LIME / Bergamo /Orio al Serio	Italy	100.00%	0.00E+00	0	25/03/2021	99.99%	7.36E-06
LIMF / Torino / Caselle	Italy	100.00%	0.00E+00	0	10/09/2020	99.99%	8.58E-06
LIMJ / Genova/Sestri	Italy	100.00%	0.00E+00	0	23/05/2018	99.98%	1.14E-05
LIMP / Parma	Italy	100.00%	0.00E+00	0	23/05/2018	99.98%	1.47E-05
LIMZ / Cuneo/Levaldigi	Italy	100.00%	0.00E+00	0	12/08/2021	99.98%	1.20E-05
LIPQ / Trieste/Ronchi dei Legionari	Italy	100.00%	0.00E+00	0	15/07/2021	99.98%	1.16E-05
LIPR / Rimini Miramare	Italy	100.00%	0.00E+00	0	03/01/2019	99.96%	1.51E-05
LIPY / Ancona / Falconara	Italy	100.00%	0.00E+00	0	21/05/2020	99.96%	4.26E-05
LIRA / Roma/Ciampino	Italy	100.00%	0.00E+00	0	23/05/2019	99.95%	3.15E-05
LIRF / Roma/Fiumicino	Italy	100.00%	0.00E+00	0	07/10/2021	99.96%	4.09E-05
LIRN / Napoli / Capodichino	Italy	100.00%	0.00E+00	0	05/12/2019	99.92%	6.30E-05
LKPR / Prague	Czech Republic	100.00%	0.00E+00	0	11/10/2018	99.98%	1.03E-05
LMML / Luqa	Malta	99.54%	8.45E-04	642	01/03/2018	99.79%	1.89E-04
LOWG / Flughafen Graz	Austria	100.00%	0.00E+00	0	01/02/2018	99.97%	3.64E-05
LOWI / Innsbruck	Austria	100.00%	0.00E+00	0	11/10/2018	99.98%	1.36E-05
LOWK / Klagenfurt	Austria	100.00%	0.00E+00	0	02/02/2017	99.97%	2.64E-05
LOWL / Linz	Austria	100.00%	0.00E+00	0	23/04/2020	99.98%	1.89E-05

If printed, make sure it is the applicable version.



Airports	Country	Monthly LPV-200 Availability	Monthly LPV-200 Continuity Risk	Outages ⁴	Publication date of first LPV-200 procedure	LPV-200 Availability since procedure publication	LPV-200 Continuity Risk since procedure publication
LOWS / Salzburg	Austria	100.00%	0.00E+00	0	02/02/2017	99.98%	1.10E-05
LOWW / Wien - Schwechat	Austria	100.00%	0.00E+00	0	26/05/2016	99.97%	3.08E-05
LRBV / Brașov-Ghimbav	Romania	99.89%	5.49E-05	6	13/09/2018	99.89%	5.49E-05
LSGC / Les Eplatures	Switzerland	100.00%	0.00E+00	0	30/01/2020	99.99%	1.02E-05
LSGG / Genève	Switzerland	100.00%	0.00E+00	0	05/12/2019	99.99%	1.19E-05
LSMD / Dübendorf	Switzerland	100.00%	0.00E+00	0	03/12/2020	99.99%	1.07E-05
LSMP / Payerne	Switzerland	100.00%	0.00E+00	0	25/05/2017	99.99%	1.09E-05
LSZB / Bern-Belp	Switzerland	100.00%	0.00E+00	0	26/03/2020	100.00%	6.79E-06
LSZH / Zurich	Switzerland	100.00%	0.00E+00	0	15/06/2023	99.99%	1.01E-05
LYBE / Beograd/Nikola Tesla	Serbia	99.99%	5.60E-06	1	24/02/2022	99.91%	8.98E-05
LYBT / Batajnica-Pukovnik-pilot Milenko Pavlovic	Serbia	99.99%	5.60E-06	1	26/03/2020	99.99%	3.69E-06
LYKV / KRALJEVO/Morava	Serbia	99.98%	1.68E-05	3	26/03/2020	99.91%	7.02E-05
LYNI / Niš/Konstantin Veliki	Serbia	99.97%	1.68E-05	3	20/04/2023	99.87%	1.36E-04
LYPG / Podgorica	Montenegro	99.99%	1.68E-05	14	16/06/2022	99.89%	1.12E-04
LZIB / Bratislava-Milan Rastislav Štefánik	Slovak Republic	100.00%	0.00E+00	0	02/02/2017	99.99%	1.69E-06
LZKZ / Košice	Slovak Republic	100.00%	0.00E+00	0	29/03/2018	99.98%	1.21E-05
LZPP / Piešťany	Slovak Republic	100.00%	0.00E+00	0	25/05/2017	99.97%	3.32E-05
LZTT / Poprad-Tatry	Slovak Republic	100.00%	0.00E+00	0	29/03/2018	99.96%	5.50E-05
LZZI / Žilina	Slovak Republic	100.00%	0.00E+00	0	25/05/2017	99.97%	3.08E-05

Table 9 – Monthly LPV-200 Availability at airports with published procedures using EGNOS.



APPENDIX D REFERENCE DOCUMENTS

[RD-1]	Open Service Definition Document, EGN-SDD-OS; v.02-03 (https://egnos-user-support.essp-sas.eu/new_egnos_ops/sites/default/files/documents/egnos_os_sdd_in_force.pdf)
[RD-2]	Safety Of Life Definition Document, EGN-SDD-SoL; v.03-04 (https://egnos-user-support.essp-sas.eu/new_egnos_ops/sites/default/files/documents/egnos_sol_sdd_in_force.pdf)
[RD-3]	EGNOS Data Access Service (EDAS) Service Definition Document, EGN-SDD-EDAS; v.02-02 (https://egnos-user-support.essp-sas.eu/new_egnos_ops/sites/default/files/documents/egnos_edas_sdd_in_force.pdf)



APPENDIX E LIST OF ACRONYMS

Acronym	Definition
APV	Approach with Vertical Guidance
ASN	Abstract Syntax Notation
ECAC	European Civil Aviation Conference
EDAS	EGNOS Data Access Service
EGNOS	European Geostationary Navigation Overlay Service
ENT	EGNOS Network Time
ESSP	European Satellite Services Provider
FTP	File Transfer Protocol
GEO	Geostationary Satellite
GNSS	Global Navigation Satellite System
GPS	Global Positioning System
HAL	Horizontal Alert Limit
HNSE	Horizontal Navigation System Error
HPE	Horizontal Position Error
HPL	Horizontal Protection Level
HSI	Horizontal Safety Index
LPV	Localizer Performance with vertical guidance
MI	Misleading Information
MT27	Message Type 27
NA	Not Applicable/ Not Available
NLES	Navigation Land Earth Station
NPA	Non-Precision Approach
NTRIP	Networked Transport of RTCM via Internet Protocol
OP	Operation
OPS	Operations
OS	Open Service
PA	Precision Approach
PL	Protection Level
PRN	Pseudo-Random Noise
RAIM	Receiver Autonomous Integrity Monitoring
RD	Reference Document
RIMS	Ranging and Integrity Monitoring Station
RTCM	Radio Technical Commission for Maritime Services
SBAS	Satellite-Based Augmentation System
SDD	Service Definition Document
SIS	Signal-In-Space
SLO	Service Level 0
SL2	Service Level 2
SoL	Safety of Life
UTC	Universal Time Coordinated
VAL	Vertical Alert Limit
VNSE	Vertical Navigation System Error
VPE	Vertical Position Error
VPL	Vertical Protection Level
VSI	Vertical Safety Index





APPENDIX F VNSE HISTOGRAM DATA EXTRAPOLATED AT 10⁻⁷/150s FOR EACH RIMS LOCATION

For each RIMS, accumulating measurement from both EGNOS GEO, following LACTA figures plot:

1. Accumulated VNSE histogram in dark blue and referenced to the vertical axis on the left.
2. Cumulative probability of the accuracy distribution in orange and referenced to the vertical axis on the right.
3. Cumulative probability of the over bounding Gaussian distribution in pink and referenced to the vertical axis on the right.
4. VNSE extrapolated to 10⁻⁷/150s in the right top corner.




Figure 31: Extrapolated LPV200 VNSE at 10⁻⁷/150s in AGA (left) & ALB (right)




Figure 32: Extrapolated LPV200 VNSE at 10⁻⁷/150s in ATH (left) & BRN (right)




Figure 33: Extrapolated LPV200 VNSE at $10^{-7}/150s$ in CNR (left) & CRK (right)




Figure 34: Extrapolated LPV200 VNSE at $10^{-7}/150s$ in CTN (left) & DJA (right)




Figure 35: Extrapolated LPV200 VNSE at $10^{-7}/150s$ in EGI (left) & GLG (right)




Figure 36: Extrapolated LPV200 VNSE at 10-7/150s in GOL (left) & GVL (right)




Figure 37: Extrapolated LPV200 VNSE at 10-7/150s in JME (left) & LAP (right)




Figure 38: Extrapolated LPV200 VNSE at 10-7/150s in LPI (left) & LSB (right)




Figure 39: Extrapolated LPV200 VNSE at 10-7/150s in MAD (left) & MLG (right)




Figure 40: Extrapolated LPV200 VNSE at 10-7/150s in PDM (left) & RKK (right)




Figure 41: Extrapolated LPV200 VNSE at 10-7/150s in ROM (left) & SDC (right)




Figure 42: Extrapolated LPV200 VNSE at $10^{-7}/150s$ in SOF (left) & SWA (right)




Figure 43: Extrapolated LPV200 VNSE at $10^{-7}/150s$ in TLS (left) & TRD (right)




Figure 44: Extrapolated LPV200 VNSE at $10^{-7}/150s$ in TRO (left) & WRS (right)




Figure 45 - Extrapolated LPV200 VNSE at 10-7/150s in ZUR

Instead of analysing each RIMS site individually, it is possible to compute the extrapolated LPV200 VNSE at $10^{-7}/150\text{s}$ in a global way, considering samples from all RIMS within LPV200 commitment all together.

Performing this analysis for each operational GEO, it is possible to obtain the extrapolated LPV200 VNSE that may be considered as characteristic for EGNOS. Those values would be 11.50m for GEO PRN123 and 9.93m for GEO PRN136 as observed in following histograms.




Figure 46: Extrapolated LPV200 VNSE at 10-7/150s - all RIMS - PRN123 (left) & PRN136 (right)



END OF THE DOCUMENT